MIL-C-104C 30 March *1992* SUPERSEDING MIL-C-104B 29 January 1980

MILITARY SPECIFICATION

CRATES, WOOD: LUMBER AND PLYWOOD SHEATHED. NAILED, AND BOLTED

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers requirements for two types and two classes of sheathed crates each of which may have two styles of bases. The crates are designed for net loads not exceeding 30,000 pounds (lb) and to withstand the most severe overseas shipping and storage conditions.

1.2 <u>Classification</u> Crates shall be of the following types, classes, and styles, as specified (see 6.2); these crates are available in fire retardant types, classes, and styles, when specified (see 3.8 and 6.2):

Type I - Nailed Type II - Bolted Class 1 - Lumber sheathed Class 2 - Plywood sheathed Style a - Skid base Style b - Sill base

2. APPLICABLE DOCUMENTS

2.1 government documents.

2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commanding Officer (Code 156), Naval Construction Battalion Center, Port Hueneme, CA 93943-5000, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) 'appearing at the end of this document or by letter.

AMSC N/A

FSC 8115

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

documents are Chose listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.2).

- - - -

SPECIFICATIONS

FEDERAL

FF-B-561	- Bolt, (Screw), Lag.
FF-B-584	- Bolts, Square Neck and Tee Head.
FF-N-105	 Nail, Brads, Staples and Spikes, Wire, Cut and Wrought.
FF-N-836	- Nut, Square, Hexagon, Cap, Slotted, Castle Knurled, Welding and Single Ball Seat
FF-W-92	- Washer, Flat (Plain).
A-A-55057	- Panels, Wood/Wood Based: Construction and Decorative.
SS-R-501	- Roofing Felt, Asphalt Prepared, Smooth Surfaced.
PPP-B-1055	- Barrier Material, Waterproof, Flexible.

MILITARY

MIL-L-19140

- Lumber and Plywood, Fire Retardant Treated.

STANDARDS

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 MIL-STD-731	 Marking for Shipment and Storage. Quality of Wood Members for Containers and Pallets.
HIL-310-731	- QUALICY OF WOOD MEMORY FOR CONCATHERS AND PALIEUS.

(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from Standardization Documents Order Desk, Bldg. 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

2.2 <u>Non-Government publications</u>. The following document(s) form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DOD adopted are those listed in the issue of the DODISS cited In the solicitation. Unless otherwise specified, the issues of the documents not listed in the DODISS are the issues of the documents which are current on the date of the solicitation (see 6.2).

AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

 ASTM D 4442 - Direct Moisture Content Measurement of Wood and Wood-Base Materials, Standard Test Methods for
 ASTM D 3950 - Strapping, Plastic (and 'Seals).
 ASTM D 3951 - Commercial Packaging.
 ASTM D 3953 - Strapping, Flat Steel and Seals.

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)

AMERICAN NATIONAL STANDARDS INSTITUTE, INC. (ANSI)

ANSI/HPMA HP - Standard Specification for Hardwood and Decorative Plywood.

(Application for copies should be addressed to the Hardwood Plywood Manufacturer* Association, 1625 Michael Faraday Drive, P.O. Box 2789, Reston, VA 22090-2789.)

U.S. DEPARTMENT OF COMMERCE

Product Standard PS 1 - Softwood Plywood, Construction and Industrial. PS 51 - Hardwood and Decorative Plywood.

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

(Non-Government standards and other publications are normally available from the organizations that prepare or distribute the documents. These documents also may be available in or through libraries or other informational services.)

2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein (except for associated detail specifications, specification sheets or MS standards), the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 <u>Description</u>. The various types, classes, and styles or crates shall be as specified herein and as shown in figures 1 through 33.

3.2 First article (preproduction model), when specified (see 6.2), the contractor shall furnish one complete crate for examination within the time frame specified (see 6.2), to prove that his production methods will produce crates that comply with the requirements of this specification. Examination shall be as specified in Section 4 and shall be subject to surveillance and approval by the Government (see 6.3).

3.3 General Requirements.

3.3.1 Loading of crates. When crates are furnished as filled containers, the extent of disassembly of the contents, and the anchoring, blocking and bracing, and applicatios of lifting straps shall be in accordance with the appendix to this specification.

3.3.2 Weight limitations. The gross weight of crates shall not exceed 20,000 lb, whenever possible. When this limitation is not practical, gross weight of crates with skid type bases (style a) may go to 30,000 lb.

3.3.3 <u>Dimension limitations</u>. The exterior dimensions of the crate snail not exceed the following limitations, unless specified (see 6.2), for overseas shipment for which dimensions of the International Loading Gauge shall apply, figure 39.

Length - 30 feet Width - 9 feet Height - 10 feet

3.3.4 Interior clearance. A clearance of not less than 1 Inch shall be allowed between the item and the closest member of the sides, ends, and top of the crate. Fragile items or items within floating bag barriers shall be protected with clearances of not less than 2 inches. Additional clearances may be provided for shock mounted items. Protruding parts at the top may be allowed to extend between Joists; spacing of joists may be adjusted slightly to accommodate projections.

3.3.5 Material. Material shall be as specified herein. Materials not specified shall be selected by the contractor and shall be subject to all provisions of this specification (see 6.7).

3.3.5.1 Lumber. Lumber components shall conform to the quality and structural classification requirements of MIL-STD-731. Sizes of all lumber specified herein shall be nominal as specified in MIL-STD-731, and shall be the minimum acceptable sizes for lumber components.

3.3.5.2 Plywood. Plywood shall conform to NN-P-530, Group A or B. Softwood plywood (Group B) shall comply with PS-1, Grade C - D interior with exterior glue. Hardwood plywood (Group A) shall comply with ANSI/HPMA HP, grade 3-4, type I.

3.3.5.3 <u>Nails and staples</u>. Nails and staples shall be steel and shall conform to FF-N-105.

3.3.5.4 <u>Bolts, nuts, and washers</u>. Bolts shall conform to FF-B-584, Type I, Class 1, Style A. Nuts shall conform to FF-N-836, Type I or II, style 1 or 4. Washers shall conform to FF-W-92, Type A, Grade I, Class A.

3.3.5.4.1 Lap bolts. Lag bolts shall conform to FF-B-561, Type I, Grade B.

3.3.5.5 Strapping. Strapping shall conform to ASTM D 3953, Type 1 or 2 as applicable. Finish shall be A, B, or C.

3.3.5.6 <u>Barrier material</u>. Barrier material, for crate liners, shall conform to PPP-B-1055, class as appropriate for crate liners.

3.3.5.7 Roofing felt. Roofing felt for crate tops, shall conform to SS-R-501, 45-pound minimum weight.

3.3.6 Construction.

3.3.6.1 <u>Nailing procedure</u>. Nails used shall be sinkers, coolers, corkers, or common. Nail sizes specified for the fabrication of the various crates are based on Groups I and II woods. When Group III or IV woods are used, nail sizes may be one penny size smaller than those specified. The patterns to be used for

the nailing of two flat pieces of lumber shall conform to the details shown in figure 1 or as specified herein. Unless otherwise specified herein, the following requirements shall determine size, placement, and quantity of nails:

- a. All adjacent crate members shall be securely fastened to each other, either directly or by means of the covering.
- b. All nails that are not to be clinched shall be cement-coated.
- c. Nails shall be driven through the thinner member into the thicker member wherever possible.
- d. Nails for fastening plywood to framing shall be clinched at least 1/4 inch. Heads of nails shall always be on the plywood side.
- e. When the flat faces of pieces of lumbar are nailed together and the combined thickness is 3 inches or less (except for top joists and covering material), nails shall be long enough to pass through both thicknesses and shall be clinched not less than 1/4 inch or more than 3/8 inch.
- f. When the flat faces of pieces of lumber are nailed together and the combined thickness Is more than S Inches or when the fist -race vt one or more pieces is nailed to the edge or end face of another, nails shall not be clinched. The portion of the nail in the thicker piece shall not be less than 2 times the length of the nail in the thinner piece for ten penny nails and smaller, and not less than 1-1/2 inches for twelve penny nails and larger.
- g. When splitting occurs with the use of diamond-point nails, the nails shall be slightly blunted. When blunting does not prevent the splitting, holes slightly smaller than the diameter of the nail shall be drilled for each nail.
- h. Nails shall be driven so that neither the head nor the point projects above the surface of the wood. Occasional over-driving will be permitted, but nails shall not be over-driven more than one-eighth the thickness of the piece holding the head.
- 1. Nails shall be positioned not less than the thickness of the piece from the end not less than one-half the thickness of the piece from the side edge of the lumber whenever possible. Nails driven Into the side edge of lumber shall be centered on the side edge.
- j. Nails securing plywood sheathing to frame members shall be spaced as shown in figure 32. Machine driven nails having a definite head may be used for securing plywood sheathing providing they meet size requirements specified herein.

3.3.6.2 <u>Stapling</u>. Staples may be used to fasten sheathing to frame members; they shall not be used for fabrication of bases, fastening of framing members to each other, or for assembly of crates. Staples shall have crowns of not less than 3/8 inch wide and shall have a wire diameter of not less than 0.062 inch (16 gage). Straight leg staples shall be long enough to provide a minimum 1/4-inch clinch; divergent point staples shall not be less than 1 inch long. Spacing of staples shall be the same as for nails specified herein. Staples shall always be driven from the plywood side.

3.3.6.3 <u>Bolt application</u>. Holes shall be prebored to receive carriage bolts and shall be the exact diameter of the bolt. The lead holes for lag bolts shall be the same diameter as the shank, even though the threaded portion may have a greater diameter than the shank, and shall be as shown in table I.

Diameter of Threaded Portion	Diameter of	f Lead Hole (inch)
of Lag Bolt (inch)	Groups I, II, and III Woods	Group IV Voods
1/4	3/16	3/16
5/16	1/4	1/4
3/8	1/4	5/16
1/2	3/8	7/16
5/8	3/8	1/2
3/4	1/2	5/8

TABLE I. Lag bolt lead hole sizes.

Lag bolts shall be placed by being turned In their holes The full length of the bolt and shall not be driven in with a hammer or by any similar means. If, for any reason, the thread in the wood is stripped when the lag blots are placed, the lag bolt shall be removed and placed in a new bolt near the old position. A flat washer shall be used under the head of each lag bolt and under the nut of each carriage bolt. After the nut is placed, the thread of the carriage bolt projecting beyond the nut shall be painted with a suitable metal primer or similar material.

3.3.6.4 <u>Splices</u>. Splices and butt joints made in frame members and skids of long crates shall be as shown in figure 2

3.3.6.5 Inspection doors when specified (see 6.2), one or more inspection or access doors shall be provided. Doors shall be of the size and in the location specified by the procuring agency and will be used for interim inspection or servicing of contents. Doors shall be built without cutting the frame members and shall be hinged at the top and fastened by lag screws at the sides and bottom as shown in figure 22. Cleats and stops shall be made of 1inch material. Doors shall be made of the same type and thickness material used for sheathing. Holes shall be provided through the door and an adjacent frame member for a seal wire and lead seal bearing the inspectors' stamp. When hinges with exposed screws are used, the hinge side of the door shall also be sealed.

3.3.6.6 Ventilation. All crates shall be provided with ventilating holes or slots which shall be located at each and or at ends and sides of lumber and plywood sheathed crates, or around the perimeter of plywood and lumber sheathed crates. These ventilating holes or slots shall be located immediately below the top frame member and be provided with a baffle as shown in figure 21 when slots are used in plywood sheathed crates or when holes are in clusters in lumber sheathed crates. Single holes drilled without baffles shall be sloped at 45 degrees to drain outward. Ho holes or slots shall be cut in any frame member.

3.3.6.6.1 Class 1 crates. Class 1 crates shall be provided with ventilating holes, 3/4 inch in diameter. The crate liner shall be removed from the ventilating area and all splinters and chips shall be removed from the holes.

3.3.6.6.1.1 End ventilation. Ventilating holes shall be provided In each end in one or sore clusters, placed near the upper frame members, provided with a baffle, and spaced 2 inches on center as shown in figure 21. In small crates, holes may be located so that diagonals or struts can be utilized in part for cleats. In crates over 10 feet in length, the ventilating holes shall be divided equally between the sides and ends with a baffle provided for each group of holes. The clusters of holes shall be located as near the midpoint of the side and end as practical. The number of holes shall comply with table II.

3.3.6.6.1.2 <u>Perimeter ventilation</u>. As an alternate to end ventilation, the 3/4 inch ventilating holes may be spaced evenly around the perimeter of the crate Just under the top frame member and drilled at a 45 degree angle to drain outward. The total number of holes shall comply with table II.

3.3.6.6.2 <u>Class 2 crates</u>. Class 2 crates shall be provided with a horizontal slot in each end. The ventilation slots shall be provided with baffles and screens as shown in figure 21. The required ventilating area shall comply with table II. In crates over 10 feet in length, the ventilation area shall be divided equally between the sides and ends of the crate with baffle and screen provided for each ventilating area. The ventilating area shall be placed as near the midpoints of the sides and ends as practical. In small crates, 3/4-inch-diameter holes may be substituted for the slots in the proportion of two holes for each square inch of required area.

	Lumber-sheathed	crates	Plywood-sheathed crates
	End ventilation	Perimeter	
	minimum number	ventilation	
Volume of	of 3/4 inch	(alternate)	Area required in
crate	diameter holes	[Total minimum]	each end
	required in each	mumber of 3/4	
	end (place in	inch diameter	
	cluster and use	holes re-	
	[baffle].	quired around	
	1	perimeter	
	1		(Use baffle and screen)
		and slope to	
(cu. ft.)		drain out.	(sq. in.)
0-100	3	6	7
100-150	4	8	10
1 50 -200	1 5	10	14
200-400	j 9	18	27
400-600	14	27	40
600- 80 0	18	36	52
800-1,000	22	j 44 i j	66
1,000-1,200	27	54	80
L,200 and	33	66	100

TABLE II. Ventilation hole requirements

Note: In large crates, where a large ventilating area is required, two or more slots or clusters of holes may be used in each panel.

3.4 <u>Class 1 crates</u>. Class 1 crates may be either bolted or nailed. Bolted crates shall be so designed that the major components of base, sides, ends, and top may be assembled to each other with lag bolts in order that the crate can be readily disassembled and, if desired, reassembled without major damage to the parts. Nailed crates are assembled with nails and straps, are not easily demountable, and because of probable damage during disassembly, are not generally reused. When specified (see 6.2), a combination of top, side, and end panels may be fabricated and assembled to each other as specified for nailed crates, and the unit fastened to the base as specified for bolted crates.

3.4.1 <u>Bases</u>. Bases shall be designed to support the weight of the crated article only when the sides and ends are fastened In place (see 6.6).

3.4.1.1 <u>Style a (skid-type)</u>. Style a bases shall consist of longitudinal skids and rubbing strips, headers, load-bearing floorboards, and flooring as shown on figures 4 and 5. Details of construction shall be the same for bolted and nailed crates.

3 4.1.1.1 Skids. Any species of wood except Group I shall be used for skids. Skids- shall be spaced no farther apart than 48 inches, center to center, across the width of the base. Minimum size shall be as shown in table III. When either the length or net load exceed the maximum shown, the next larger skid shall be used

Maximum net load(lb.)	Maximum length of crate (ft.)	Nominal size of skids (in.)
300	16	2 x 4 (flat) 1/
1,000	12	2 x 4 (flat) 1/
2,000	20	3 x 3 or 3 x 4 (flat) 2/
10,000	32	4 x 4
30,000	20	4 x 6 (on edge)

TABLE III. Allowable minimum skid sizes.

1/ For nailed crates only.

2/ For crates with 2-inch-thick lower frame member or 2-inch end struts.

When necessary, skids may be spliced or laminated according to the details shown in figure 2 or 3, but the use of 2- by 4-inch skids shall be limited to such lengths that no splicing would be required. Whenever possible splices shall be made not more than one-third of the length of the base from the ends of the skid and the splice locations alternated in adjacent skids. To prevent splitting, all skids shall have a carriage bolt placed crosswise and 2 to 3 inches back from each end of the skid as shown in figures 4 and 24. Bolt sizes shall comply with table IV.

3.4.1.1.2 Rubbing strip for skids. Rubbing strips of 3-inch thick lumber, the same width as the skids, shall be attached to the skids with two staggered rows of nails spaced 12 inches apart in each row. The nails shall be driven through the rubbing strip into the skid, shall be of such length as to penetrate a minimum of approximately 70 percent of the skid thickness, and shall not protrude through the skid. The strips shall be beveled full depth at an angle of 45 degrees at sling and forklift openings. Openings in the rubbing strips for forklift-truck access shall be 12 inches in length, 28 inches center to

center, and positioned to straddle the center of balance of the loaded crate. Sling openings not less than 4 inches in length, and preferably 8 inches, shall be provided at the ends of the rubbing strip where permitted by the length of the crate and by the location of the forklift-truck access openings. No center pieces of the rubbing strips shall be less than 16 inches in length. On crates 5 feet and less in length, the forklift openings shall be omitted; end sling openings shall not be less than 6 inches long and shall serve as both forklift and sling openings.

3.4.1.1.3 Headers. Headers shall be placed at each end of the base and shall be bolted to each skid with one carriage bolt. Sizes of headers and bolts shall be as shown in table IV.

3.4.1.1.4 Forklift members. The forklift Makers shall consist of the header and two members of equal size, spaced 20 and 40 inches (on center) from each end of the skids and bolted as shown in figure 4. Where the form of the item to be crated makes it impractical to use these members, or when crates are short or narrow, 2-inch-thick lumber shall be used In the 48-inch end areas as shown In figure 5. When 2-inch lumber is used in the forklift area and intermediate skids are required because of the width of the base, the 2-inch forklift members shall be bolted to the intermediate skids. Forklift members shall be notched or set back as specified for headers in 3.4.1.1.3. If loaded containers center of balance is other than the center of the base, the space for forklift entry shall be positioned so that the center of balance is centered in between forklift openings.

Skid size (in.)	Header size (in.)	Bolt Diameter (in.)
2 x 4	2 x 4 1/	3/8
3 x 3	3 x 3	3/8
3 x 4		*
4 x 4	4 x 4	1/2
4 x 6		÷

TABLE IV. Required header sizes and carriage bolt sizes.

1/ For nailed crates only in width to 48 inches. For wider crates or bolted crates, use 3×3 .

Headers shall be of a single piece and not built up to two or more pieces to meet the dimension requirements. Headers shall be placed atop the plywood when plywood flooring is used. Headers shall be placed a distance back from the ends of the skids equal to the thickness of the end sheathing. The ends of the headers shall be notched for bases floored with lumber ends of headers for plywood floored bases shall be set back from the outside edges of the outer skids (see figures 4 and 5). The notched and set back distances shall be equal to the thickness of the lower frame Bombers of the skids.

3.4.1.1.5 Load-bearing floorboards. Load-bearing floorboards shall be placed where the concentrated loads of the contents occur. The cross section shall be determined from table X. The forklift members and any 1- or 2-inch flooring may be considered as load-bearing within limits of their assigned values. The ends of load-bearing floor boards shall be notched or set back from

the edge of the base in the same manner as described for headers as specified in 3.4.1.1.3 (see figures 4 and 5). Load-bearing floorboards 4 inches vide shall be bolted to each skid with one carriage bolt, and load-bearing floorboards over 4 inches vide shall be bolted to each skid with two carriage bolts, and the intermediate skid where one is required. Bolt diameters shall be the **Load** as specified in 3.4.1.1.3 for corresponding skid sizes.

3.4.1.1.6 Lumber flooring Lumber floorboards shall be neither less than 1 inch thick nor less than 4 inches wide, and shall be placed at right angles to the skids. Boards shall be spaced 1/4 inch apart for drainage and the ends placed flush with the outside face of the skids. When a large area of the base is floored with 2-inch thick lumber, the use of filler strips 2 inches vide shall be used along each side over the thinner flooring to equal the thickness of the 2-inch flooring as shown in figure 5. The filler strips shall be nailed to the flooring with two staggered rows of sixpenny nails spaced 10 inches apart. Nailing of floorboards to skids shall be as shown on figure 1 and as specified in 3.3.6.1.

3.4.1.1.7 Plywood flooring. Plywood 3/8 inch in thickness, may be used in place of 1-inch lumber flooring as shown in figures 4 and 5, but not as loadbearing floorboards. Plywood flooring shall be laid flush with the outer edges of the skids and with the face grain perpendicular to the skid length. Headers and load-bearing floorboards shall be placed on top of the plywood and bolted to the skids after the plywood has been nailed in place. Plywood flooring shall be nailed to each skid with two rows of sevenpenny nails, staggered and spaced 6 inches apart in each row. A spacing of 1/4 inch shall be allowed between sheets of plywood for drainage When 1/3 to 1/2 the area of the base is floored with 2inch boards, the plywood flooring shall be used only between these areas. Filler strips shall be nailed over the plywood as shown on figure 5, with nailing as specified in 3.4.1.1.6.

3.4.1.1.8 <u>Drainage</u>. A drainage hole, 1/2 inch in diameter, shall be drilled adjacent to each header or load-bearing member in each outer edge of each plywood floored section of the base (a "section" being a portion of the base in which water might be trapped) (figure 4 and 5). Care shall be taken to locate the holes so that the holes villa not be covered when the contents are placed on the base of the crate

3.4.1.2 Style b (sill-type). Style b bases shall be constructed as shown in figure 6. The load contained on Style b bases shall always be transmitted to the side sills by means of intermediate sills or by the article itself.

3.4.1.2.1 <u>Side and end sills</u>. The size of the side sills shall be determined from table XI. End sills shall be of the same size as side sills. The side sills shall overlap the end sills as shown in figure 6 Sills shall be laminated as shown in figure 3, when necessary.

3.4.1.2.2 Intermediate sills and load-bearing headers. Intermediate sills shall be applied crosswise of the base. The size of intermediate sills shall be determined from table XII. The weight used to determine the size of an intermediate sill shall be that amount of the load actually supported by that sill. Load-bearing headers shall be of the same size as intermediate sills. Load-bearing headers and intermediate sills will not be required when all of the load is supported by the side sills. Load-bearing headers shall be attached at their ends to intermediate sills and intermediate sills shall be attached at their ends Co side sills by a combination of nailing and the use of metal strap hangers fabricated from 1-1/4 inches wide by 0.035 inch thick nail-on strapping as shown in figure 7.

3.4.1.2.3 Bridging. Intermediate sills shall be bridged at the ends with 1inch lumber and at intervals along the span not exceeding 4 feet with 2-inch lumber of the same depth as the intermediate sills (see figure 6).

3.4.1.2.4 Bottom sheathing. Style b bases shall be sheathed on the bottom with lumber securely nailed to the bottom surface of the sills at right angles to the direction of the side sills. Boards shall be 4 to 10 inches wide and of not less than 1-inch material for spans of less than 30 inches between longitudinal members and of not less than 2-inch material for spans of 30 inches or more. Bottom sheathing shall be flush with the outside face of all side and end sills and be spaced 1/4 inch apart for drainage. One-inch boards shall be nailed with eightpenny nails, 2-inch boards with twelvepenny nails, and nailing shall be as shown in figure 1.

3.4.1.2.5 Rubbing strips. Style b bases shall have rubbing strips of 3-inch thick material, the width of which shall not be less than 4 inches. The rubbing strips shall always be applied lengthwise of the base and positioned under each longitudinal member. When required, intermediate rubbing strips of the same sire are located so that the clear distance between rubbing strips does not exceed 36 inches. Other requirements shall be as specified in 3.4.1.1.2.

3.4.2 Tops. Tops shall be double sheathed and shall be (a) narrow, widths through 34 inches; (b) intermediate, widths over 54 inches through 60 inches; (c) vide, over 60 through 120 inches in width. Plywood sheathing 1/4 inch thick, shall be attached to the lumber framing with its face grain parallel with the width of the top and its edges flush with the outside edges of the framing. All joints of the plywood sheathing shall be made over joists or other frame members. Roofing felt, or polyethylene film not less than 4 mils thick, shall be applied over the plywood with a minimum 4-inch overlap at joints. A nonhardening caulk or mastic shall be applied in the overlap area. Top sheathing boards not less than 4 inches wide shall be placed over the plywood sheathing and waterproof barrier and shall extend beyond the outer edges of the top framing by an amount equal to the thickness of side and end panel sheathing less 1/8 inch. Headers joining the joists together shall be 1 inch thick by the depth of the joists for intermediate and wide tops.

3.4.2.1 Narrow tops. Narrow tops shall be framed on 2- % 4-inch members as shown in figure 8. Top sheathing board shall be applied parallel to the width of the top and shall be of single pieces. At plywood joints on the inside of the top, 2- x 3-inch pieces shall be used as shown in figure 8.

3.4.2.2 <u>Intermediate tops</u>. Intermediate tops shall be framed on 2-inch joists placed flat and headers 1 inch by the thickness of the joists. The top sheathing boards shall be placed parallel to the length of the top (see figure 9). When the crate length is over 10 feet, end joints will be permitted in top sheathing boards. All joints shall be made over joists, two joints shall be adjacent to each other, and not more than one-third of the Joints shall be made over any one joist.

3.4.2.3 <u>Wide tops</u>. Vide tops shall be constructed similar to intermediate tops except that the vide tops shall be framed in joists and headers placed on edge as shown in figure 10.

3.4.2.4 <u>Fabrication nailing</u>. Fabrication nailing of tops shall be as shown on figures 11 and 12. All plywood members shall be nailed on at least three edges.

3.4.2.5 <u>Grabhook reinforcing joists for lifting crates</u>- when no joists are used or when a joist does not coincide with the center of balance, a reinforcing joist shall be placed at the center of balance to distribute the load when the crate is lifted with a single set of grabhooks. Reinforcing joists shall conform to the requirements of table V.

3.4.2.6 Lamination of joists. When two members are to be nailed together for joists and are 1 and 2 inches thick, respectively, they shall be nailed with sevenpenny nails with the nailheads in the thinner piece. When both members are 2 inches thick, twelvepenny nails shall be used. Rails shall be staggered In two rows at least 1 inch from the edges, and shall be 18 inches apart in the rows.

3.4.2.7 Alternate plywood sheathed top. For tops not exceeding 96 inches wide, single sheathing of 1/2-inch thick plywood nay be used in lieu of the double sheathed top Face grain of the plywood shall be parallel with the width of the top. Framing members and Joists shall be as specified for double sheathed tops. When joists do not coincide with plywood joints, a joint cover of 1- x 4-inch lumber shall be used on the inside of the top. Prior to securing the plywood to the joists or joint covers, caulking of a nonhardening type shall be applied at three places at each joint - between the plywood panels at their butt joint, and between the plywood and joint cover or joist on either side of the butt joint. The caulk shall be applied as a continuous bead and may be either performed or applied with a gun.

Size of single reinforcing (in.)	Gross loads not exceeding (lb.)	<pre>Length of joist not exceeding (in.)</pre>
2 x 4	1,000	 72
2 x 4	2,000	60
2 x 4	3,000	48
2 x 4	5,000	36
4 x 4	10,000	96
4 x 4	15,000	72
4 x 4	22,000	60

	TABLE	V.	Reinforcing joist requirements.
--	-------	----	---------------------------------

When the gross loads exceed 22,000 lb or where the width exceeds 96 inches for any load over 10,000 lb, two 4- by 4-inch joists shall be used; one placed approximately 2 to 3 feet each way from the center of balance, for the use of two sets of grabhooks.

3.4.3 Sides.

3.4.3.1 <u>Number and type of panels</u>. Sides shall be constructed as shown in figures 13, 14, and 15. In crates with style b bases, the sheathing, of sides and ends shall reach below the lower horizontal frame member a distance equal to the depth of the sills plus floor thickness, less 1/8 inch. The type of side panels shall vary with the Inside crate height as specified in table VI.

Inside height of crate (in.)	Type of panel	Reference figure No.
Over 24 to 60	A	13
Over 60 to 108	J B	j 14
Over 108 to 144	i c	15

TABLE	VI.	Side pane	1 types	- c]	ass	crates.

The number of panels for each full length side shall be computed by dividing the inside crate length by the inside height, and using the nearest whole number.

3.4.3.2 Member selection. The sizes of the upper and lower frame members, struts, and diagonals shall be determined from tables XIII to XXII except as otherwise specified. Loads referred to in the tables are the net loads and the dimensions are the inside measurements of the crate. The member sizes shall be based on Croup II woods. If the exact size of the crate is not given in the tables, member sizes for the crate of the next greater length and width, and the next smaller height shall be used.

3.4.3.2.1 Upper and lower frame members. Except where vertical joist supports are required, upper frame members for crates over 54 inches wide shall always be 2 inches thick and a minimum of 2 by 4 inches in size. Splicing -of upper or lower frame members shall be done over or under a strut and shall be as shown in figure 2.

3.4.3.2.2 Vertical struts. Vertical struts shall be continuous from the lower frame member to the upper frame member and the diagonal and horizontal braces shall be cut in between. The end struts shall be as shown in table VII.

	Nominal size of	f end struts
Net load (lb.)	Bolted crate (in.)	Nailed crate (in.)
1,000 or under	2 x 4	2 x 4
Over 1,000 but under 5,000	3 x 3	2 x 4
5,000 and over	4 x 4	2 x 4

TABLE VII. End strut requirements.

3.4.3.2.3 <u>Horizontal braces</u>. Horizontal braces for Types B and C panels (figures 14 and 15) shall be the same thickness as the struts and 4 Inches wide.

3.4.3.2.4 <u>Diagonals</u>. Size of diagonals shall be as specified in the Member selection tables XIII to XXII and shall be located as shown in figures 13, 14, and IS. When frame members are 1 inch thick, gusset plates shall be cut from 1/4-inch plywood and shall be 12 inches minimum, in the shortest dimension. The corners shall coincide with the center line of the diagonals as shown in figure 16.

3.4.3.2.5 Joist supports. The upper frame members shall serve as supports for tops. When crates are 6 feet wide and 12 feet high or 8 feet wide and 10 feet high (tables XIII to XXII) and when the struts are 1 inch thick, vertical joist supports shall be provided as shown in figure 16. These shall consist of 2- by 4-inch members placed on and nailed to the frame members of the side and extending under each interior joist to the floor.

3.4.3.3 Liners. A crate liner shall toe applied between The sheathing and frame members of sides and ends of all lumber-sheathed crates and shall conform to the crate liners specified in PPP-B-1055. The paper shall be placed horizontally as unrolled, with a 4-inch minimum shingle lap applied for proper drainage and shall cover the entire framed area. Vertical joints, when required, shall have a minimum 4-inch lap and shall be located at a vertical member.

3.4.3.4 Sheathing. Sheathing for the side and end panels of crates shall be applied vertically, shall extend to the bottom of the skids on side panels and to the tops of skids on the end panels of skid type base crates. Sheathing shall extend to the bottom of sills on sill-type base crates. Sheathing shall be either tongue - and - groove or square and shall be 1 inch thick. At least one side of all boards shall be dressed and the dressed side placed outward. No boards shall be less than 4 inches in width. End boards shall be not less than 6 inches wide and preferably wider. No more than 10 percent of the boards (not more than one out of 10 boards) shall be of the minimum width, nor shall the narrow boards be adjacent to each other. Short boards, not less than 2 feet in length, may be used under the following conditions (figure 17): (1) boards shall be cut at right angles, (2) the center of a short sheathing board shall be at the approximate center of the width of a diagonal and shall have full coverage by the diagonal, or shall be joined on a horizontal member, (3) at least every second board and all end boards shall be full length, and (4) nailing shall be as shown in figure 17.

3.4.3.5 <u>Fabrication nailing</u>. Nails securing sheathing to framing up to and including 2 inch thickness shall be driven through the sheathing and shall be of such length as to permit a minimum of 1/4-inch clinch on the framing. For nailing sheathing to horizontal and diagonal frame members 4 to 6 inches wide, three rows of nails shall be used. There shall be a minimum of three nails per crossing in sheathing boards 4 to 6 inches wide and a minimum of four nails in wider boards (figure 17). For nailing sheathing to horizontal and diagonal frame members over 6 inches wide, four rows of nails shall be used. There shall be a minimum of four nails per crossing in sheathing boards 4 to 8 inches wide and a minimum of five nails in wider boards (figure 17). For nailing sheathing to struts 4 to 6 Inches wide, two rows of nails shall be used. The nails shall be spaced approximately 8 inches apart in each row and staggered. For wider struts use three rows of nails. The nails shall be spaced approximately 12

inches apart and staggered (figure 17). Nail spacing at vertical butt joints shall be as shown in figure 17. Gusset plates shall be secured with sevenpenny nails driven through and clinched on the sheathing. Nailing shall be shown in figure 16. Vertical joist supports shall be secured with two tenpenny nails at each horizontal frame member crossing and one tenpenny nail at each diagonal crossing as shown in figure 16. where vertical joists coincide with struts, there shall be two rows of nails on 30-inch centers.

3.4.3.6 Lag screw reinforcing strap for bolted crates. Reinforcing strap shall be used on side and end panels of all demountable crates as shown in figures 13, 14, 15, and 18. Galvanized steel strap, punched or drilled, 1-1/4 inches by 0.035 inch for 3/8-inch lag screws, and 2 Inches by 0.050 inch for 1/2 and 5/8-inch lag screws, shall be nailed to the inner face of the sheathing between the lower edge of the bottom frame member and the bottom of the sheathing as shown in figure 18. The strap shall be located to coincide with the center of the skid or header and shall be nailed on maximum 2-Inch centers to the sheathing with clout or similar nails. Rails shall be clinched at least 3/8 Inch.

3.4.4 Ends End types and size of members for ends In crates over 30 Inches wide shall be determined in a manner similar to the sides, except that in all cases the thickness of the upper and lower frame members shall be the same as the struts specified in table XIII to XXII. The member arrangement shall conform, to the details shown in figure 19. For crates less than 30 inches wide, single diagonals only are required and all frame members shall be 1 by 4 inches in size as shown in figure 20

3.4.5 Assembly (Class 1 crates) -

3.4 5.1 Bolted crate.

3.4.5.1.1 <u>General</u>. Type II (bolted) crates shall be assembled with lag bolts (see 3.3.5.4.1). Lead holes shall be used for lag bolts.

3.4.5.1.2 Fastening sides to base. The sides shall be secured to the skids with lag bolts. For 3- by 3-inch or 3- by 4-inch skids, 3/8 inch diameter by 3-inch long lag bolts shall be used; for 4- by 4-inch skids, 1/2 inch diameter by 4-inch long lag bolts shall be used; and for 4- by 6-inch skids, 5/8 inch diameter by 4-inch long lag bolts shall be used. The number of lag bolts shall be as specified in table XXIII. One-half the number shall be used on each side and the spacing shall be uniform along the skid. Maximum spacing shall be 16 inches for 3/8-inch lag bolts and 20 Inches for 1/2-inch lag belts. Lead holes shall conform to 3.3.6.3 in size and shall be drilled in line with and through the center of the metal reinforcing strap, as well as through the sheathing and into the skid. Assembly and placement details shall be as shown on figures 23 and 24.

3.4.5.1.3 Fastening sides to top. Lag bolts, 3/8 inch diameter by 3-1/2 Inches long, shall be used to fasten the sides to the top. These lag bolts shall be placed so that there is one in the end of each joist at the approximate center (figure 25). For tops without joists, lag bolts shall be placed at the approximate center of the side frame member of the top and spaced no greater than 24 inches apart.

3.4.5.1.4 Fastening ends to top, sides, and base. Lag bolts for fastening ends to tops shall be 3/8 inch In diameter by 2-1/2 inches long;. Lag bolts for fastening ends to sides shall be 3/8 inch diameter by 3-1/2 inches long. Placement and other assembly details shall be as shown in figures 23 and 25. Lag bolts for fastening ends to base shall be the same size as specified in 3.4.5.1.2. Location and spacing, shall be as shown in figures 23 and 24. Lead holes shall be centered on the reinforcing strap.

3.4.5.2 Nailed crate.

3.4.5.2.1 <u>General</u>. Type I crates shall be assembled with nails and metal straps. General rules for crate assembly shall be as shown in table XXIV and figures 26 and 27.

3.4.5.2.2 <u>Fastening sides and ends to base</u>. Sides and ends shall be nailed to the skids and headers with cement-coated nails (figure 26). Two rows of nails shall be used for 2- by 4-inch, 3- by 3-inch, 3- by 4-inch, and 4- by 4-inch skids or headers and for style b bases. The number of nails required for the perimeter of the crate shall be as shown in table XXV, and based on the gross load. Nail spacing shall be no greater than 6 inches in each row, and no less than two nails shall be used in each sheathing board.

3.4.5.2.3 Fastening ends to sides and aides to ends. The end panels shall be nailed to the side panels with twentypenny cement-coated nails spaced 12 inches apart as shown in table XXIV and figure 26. The nails shall pass through the sheathing and the edge struts of the ends into the edge of the corner struts of the sides. Predrilling shall be used for these nails to prevent splitting and the bit for drilling shall be approximately 75 percent of the diameter of the nail shank. The edge sheathing boards of the side panels shall be nailed to the edge struts of the ends with eightpenny cement-coated nails spaced 6 to 8 inches apart (figure 26).

3 4.5.2.4 Fastening top to sides and ends. Tops shall be fastened to sides and ends with corner reinforcing straps and tensioned straps with anchor plates as shown in figure 27. Corner straps shall be of such length as to allow nailing into framing of sides and ends.

3.4.5.3 Strapping. Strapping shall be used as shown in figure 27 on all bolted crates with net loads over 3,000 lb and for all nailed crates. Tensioned metal strapping and corner straps shall conform to ASTM D-3953, Type 1 or 3, Zinc-Coated finish, Grade 2, not less than 3/4 inch wide by 0.026 inch thick. • Corner strapping shall be prepunched or drilled. In addition, on crates with Style b bases, corner reinforcing straps shall be applied at the bottom corners •* shown in figure 28. Nails shall be 1-1/4- to 1-1/2-inch galvanized roofing nails. A minimum of three nails shall be used for each strap leg and strapping shall be located so that nailing is in a frame member.

3.5 Class 2 crates. Class 2 crates shall be Type I or II as specified and shall have the same use limitations as described for lumber-sheathed in 3.4.

3.5.1 <u>Bases</u>. The construction of bases shall conform to bases of Class 1 crates as specified in 3.4.1. Details of construction shall be as shown in figures 4, 5, 6, and 7.

KIL-C-104C

3.5.2 <u>Tops</u>. The construction of tops for Class 2 crates is identical to that described for Class 1 tops in 3.4.2. Details of construction shall be as shown in figures 8, 9, 10, 11, and 12.

3.5.3 Sides

3.5.3.1 Number and type of panels. Types of panels for various heights and corresponding illustrative figure numbers shall be as shown in table VIII.

Inside height of crate	Type of panel	Figure No.
Over 24 to 60	A	29
Over 60 to 96	В	30
Over 96 to 144	С	31

TABLE VIII. Side panel types - class 2 crates.

Type B panels include a horizontal brace and Type C panels have two horizontal braces. These shall be located so as to equally divide the space between upper and lower frame members. For all types of side panels, struts shall be spaced 24 inches on centers except at one or both ends so that 48-inch-wide plywood can be utilized with a minimum of waste Sides shall be constructed as shown in figures 29, 30, and 31 In crates with Style b bases, the sheathing of sides and ends shall reach below the horizontal frame member a distance equal to the depth of the sills.

3.5.3.2 Member selection. The sizes of the upper and lower frame members and struts shall be determined from tables XIII to XXII, except as otherwise specified. Loads referred to in the tables shall be the net loads and the dimensions shall be the inside measurements of the crate. The member sizes shall be based on Group II woods. If the exact size of the crate is not given in the tables, member sizes for the crate of the next greater length and width, and the smaller height, shall be used.

3.5.3.2 1 Upper and lower frame members. The requirements for upper and lower frame members shall comply with those described for lumber-sheathed side panels in 3.4.3.2.1 and listed by size in tables XIII to XXII.

3.5.3.2.2 <u>Vertical struts</u>. The requirements for struts shall comply with those described for lumber-sheathed side panels in 3.4.3.2.2 and listed by sizes in tables XIII to XXII.

3.5.3.2.3 Diagonals. No diagonals are required for Class 2 crates.

3.5.3.2.4 Joist supports The Joist supports shall comply with those described for class 1 side panels in 3.4.3.2.9.

3 5.3.3 Liners. No liners are required for Class 2 crates.

3.5.3.4 Sheathing. Plywood sheathing shall be 3/8 inch thick for net loads up to 10,000 lb, and 1/2 inch for net loads over 10,000 lb, and shall be applied so that the face grain is vertical Face grain may be horizontal for

crates 4 feet or less In height. Vertical Joints in plywood sheathing shall be made over the center of a strut. Horizontal joints in plywood sheathing shall not be permitted in type A side panels, are not desirable but permitted in Type B panels, and shall be permitted in Type C panels. All horizontal joints shall be made over the center of a horizontal brace.

3.5.3.5 Fabrication nailing. Nailing plywood sheathing to frame members of various widths shall be as shown in figure 32. For all fabrication, nails shall be driven through the plywood and clinched a minimum of 1/4 inch. Nailing vertical joist supports shall be as described in 3.4.2.5 except that ninepenny nails shall be used (see figure 16). Staples may be used to fasten plywood sheathing to framing members; application shall be in accordance with 3.3.6.2.

3.5.3.6 Lag-screw reinforcing strap for bolted crates. Reinforcing strap shall be used on side and end panels of all bolted crates as shown in figures 29, 30, and 31. Construction details shall be as specified in 3.4.3.6 and as shown in figure 18.

3.5.4 <u>Ends</u>. Panel types and sizes of members for ends shall be determined in a manner similar to the sides, except that in all cases, the thickness of the upper and lower frame members shall be the same as the struts specified in table XIII to XXII. The member arrangement shall be as shown in figure 33. Fabrication shall be as shown on figure 32.

3.5.5 Assembly (Class 2 crates>.

3.5.5.1 <u>Bolted-crate assembly</u>. The assembly of plywood-sheathed bolted crates shall comply with the details specified for Class 1 crates In 3.4.5.1 and as shown in figures 23, 24, and 25.

3.5.5.2 <u>Nailed-crate Assembly</u> The assembly of plywood-sheathed nailed crates shall comply with the details specified for Class 1 crates in 3.4.5.2 and as shown in figures 26 and 27, except for size of nails which shall be as specified in table XXIV.

3.5.5.3 <u>Reinforcing straps</u>. The Reinforcing straps shall be as specified for Class 1 crates in 3.4 5.3 and as shown in figures 27 and 28.

3.6 <u>Tolerances</u>. A tolerance of plus or minus 1/8 inch Is allowable on the overall length and width of individual completed crate panels. Out-of-square deviation of individual panels shall be not more than 3/16 inch (3/8 inch difference in diagonals).

3.7 Workmanship. Crate panels shall be clean and free of slivers and protruding fastener points. Crate panels shall be square and free of cracks, splits, or other damage which would prevent easy and correct assembly and adversely affect the performance of assembled crates.

3.8 <u>Fire retardant</u>. When specified, (see'6.2) all lumber and plywood shall be treated in accordance with MIL-L-19140. Special markings shall be used to indicate the lumber and plywood have been treated with non-leachable fire retardant materials.

A. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for Inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Responsibility for compliance. All items must meet all requirements of sections 3 and S. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of assuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling in quality conformance does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to acceptance of defective material.

4.1.2 Component and material inspection. Components and materials shall be inspected in accordance with all the requirements specified herein and in applicable referenced documents.

4.2 Classification of inspections. The Inspection requirements specified herein are classified as follows

- a. First article inspection (see 4.3).
- b. Quality conformance inspection (see 4.4).
- c. Inspection of packaging (see 4.6).

4.3 First article inspection. The first article inspection shall be performed on crates when a first article is required (see 3.2 and 6.2). This inspection shall include the examination of 4.5.1 and the tests of 4.5.2. The first article may be either a first production item or a standard production item from the supplier's current inventory provided the item meets the requirements of the specification and is representative of the design, construction, and manufacturing technique applicable to the remaining items to be furnished under the contract. The presence of one or more defects when examined or the failure of any test shall be cause for rejection.

4.4 <u>Quality conformance inspection</u> The quality conformance inspection shall include the examination of 4.5.1, the tests of 4 5.2, and the packaging inspection of 4.6 This inspection shall be performed on the samples selected in accordance with 4.3.

4.4.1 Sampling- Sampling and inspection procedures shall be in accordance with KIL-STD-105. The unit of product shall be one crate. All crates of the same type, class, and style offered for delivery at one time shall be considered a lot for the purpose of inspection (see 6.4).

4.4.2 Examination Each crate shall be examined for compliance with the requirements specified in section 3 and 4.5.1 of this specification. Any redesign or modification of the contractor's standard product to comply with specified requirements, or any necessary redesign or modification following failure to meet specified requirements shall receive particular attention for adequacy and suitability. The element of inspection shall encompass all visual examinations and dimensional measurements. Noncompliance with any specified requirements or presence of one or more defects preventing or lessening maximum efficiency shall constitute cause for rejection.

4.4.3 <u>Tests</u>. The first article shall be tested as specified in 4.5.2. Each production unit shall be tested as specified in 4.5.2. Failure to pass any test shall constitute cause for rejection.

4.5 Inspection procedures

4.5.1 <u>Examination</u> The crate, or the unassembled components to make a complete crate, as applicable, shall be examined for the following major defects:

- 101. Crate not of type, class, or style specified.
- 102. Crate not of proper size.
- 103. Crate panels not square within specified tolerances.
- 104. Nails and staples of improper size.
- 105 Nails and staples not clinched when specified.
- 106. Carriage and lag bolts of improper size.
- 107. Quality of wood components not in accordance with MIL-STD-731.
- 108. Frame members not of sizes specified.
- 109. Skids and rubbing strips not of specified sizes
- 110. Skids not located as specified.
- 111. Headers not of single piece.
- 112. Headers and load-bearing floorboards not secured with carriage bolts as specified.
- 113. Plywood not of type specified.
- 114. Crate panels not fabricated as specified.
- 115. Waterproof barrier in top missing.
- 116. Ventilation provisions not as specified.
- 117. Forklift truck openings of Improper size.
- 118. Lag bolt reinforcing strap missing on Type 11 crates.
- 119. Unassembled crate not bundled and strapped as specified.
- 120. Crate components missing from bundle.
- 121. Marking incorrect, illegible, or missing.
- 122. Lumber and plywood not marked as fire retardant

4.5.2 Tests.

4.5.2.1 Moisture content. Moisture content shall be determined using the electric-moisture meter method of ASTM D 2016. A minimum of six readings, at least one reading on a frame member of each crate panel, shall be taken. The average of the six readings shall meet the requirements of 3.3.5.1.

4.5.2.2 <u>Assembly test</u>. A crate shall be completely assembled to insure achievement of a container which can be properly and easily assembled, which is square, and is of the proper size.

4.6 <u>Packaging inspection</u>. The packaging and marking of the item shall be in accordance with the requirements of 4.4, 4.5.1 and section 5 of this specification. The inspection shall consist of the quality conformance; and, when specified (see 6.2), a preproduction pack shall be furnished for examination and test within the time frame required (see 6.2).

5. PACKAGING

5.1 Packing. Packing shall be level A or Commercial (see 6.2).

5.1.1 <u>Level A</u>. Crates shall be unassembled with the base, sides, ends, and top secured together to form a single bundle. The bundle shall be secured with at least two straps conforming to ASTM D 3953, Type 1 or 2, Zinc-Coated, Grade 2, and having a minimum size of 5/8 by 0.020 inch. The strapping shall be located one-sixth the length of the bundle from each end; intermediate straps shall be used when the distance between straps exceeds 60 inches.

5.1.2 Commercial. Crates shall be shipped either assembled or unassembled (see 6.2) and bundled in accordance with the requirement in ASTM 0 3951. When crates are shipped unassembled, they should be secured as a bundle as specified in 5.1.1 for level A except that the strapping may comply with ASTM D 3950.

5.2 <u>Marking</u>. Marking for shipment and storage shall be accordance with the requirements of MIL-STD-129.

6. NOTES

6.1 <u>Intended use</u>. The crates described by this specification are intended to protect items from atmospheric elements during both domestic and overseas shipment. They are designed to withstand the rough handling expected during military logistic operations including stacking and outside storage for a prolonged period. Class 1 and 2 crates may be used interchangeably as desired; however, when weight is a prime consideration, the Class 2 crate should be used as the lack of diagonals and thinner plywood sheathing results in a lighter crate. Demountable crates, Type II, should be used whenever it is expected that the contained Item will require reshipping to another destination. Sill bases, Style b, are intended for items which project below their mounting points, such as disassembled vehicles. Fire retardant lumber and plywood is intended to reduce the risks and hazards of fire aboard Navy Ships and to improve fleet readiness by reducing loses due to fire destruction in compliance with the Navy Passive Fire Protection Program.

6.2 Ordering data Procurement documents should specify the following:

- a. Title, number, date of this specification.
- b. Type, Class, and Style of crate required (1.2).
- c. Issue of DODISS to be cited in the solicitation, and if required, the specific issue of individual documents referenced (2.1.1 and 2.2).
- d. When a first article is required (3.2).'
- e. Time frame required for submission of first article (3.2).
- f. When dimensions must conform to the International Loading Gauge (3.3.3).
- g When inspection doors are required (3.3.6.5).
- h. When tip, sides, and ends shall be assembled with nails and the entire assembly bolted to the base (3.4).

- i. When lumber or plywood is to be treated with fire retardant In accordance with MIL-L-19140 (3.8).
- j. When service parts shall be preserved in accordance with MIL-S-196(Appendix 30.5).

k. Level of packaging required

(5.1).

- 1. When a packaging preproduction pack is required (4.6).
- m. Time frame required for submission of packaging preproduction pack (4.6).

n. If crates are to be shipped assembled or unassembled (5.1.2).

6.3 Preproduction model. Any changes or deviations of production crates from the approved preproduction model during production will be subject to the approval of the contracting officer. Approval of the preproduction model will not relieve the contractor of his obligation to furnish crates conforming to this specification (see 3.2).

6.4 <u>Sampling</u> Recommended Inspection Level is II and Acceptable Quality Level is S-2 (see 4.4.1).

6.5 Definitions. The component parts of crates discussed herein were selected on the basis of the function of the part. Alternate names are sometimes given *us* being the names often applied by industry.

6.5.1 Diagonals. Diagonals are frame members positioned between parallel frame members and placed at angles of nearly 45 degrees to them. Diagonals serve as braces and insure rigidity in the crate.

6.5.2 <u>End frame members</u>. End frame members are similar to side frame members but perpendicular to the long dimension.

6.5.3 Filler strips. Filler strips are boards placed across the ends of thin, nonload-bearing floorboards which serve to fill the space below the lower frame member of the sides.

6.5.4 Frame Members. Frame members are those parts which form the fundamental structure of the crate upon which the strength and rigidity of a lumber-sheathed crate depends.

6.5.5 Hanger-metal. Hanger-metal is a metal nailed strap used to aid in support of intermediate sill in sill-type base.

6.5.6 <u>Headers</u>. Headers either transverse members at each and of skid bases or longitudinal members at each end of top joists. Headers in bases serve to hold the base together as a unit, to transfer loads to outside skids, and to provide a fastening member for end panels. Headers in top panels serve to position and support joists and to provide a fastening member for side panels.

6.5.7 <u>Horizontal braces</u>. Horizontal braces are members positioned between struts and parallel to the upper and lower frame members and serve to reduce the unsupported span of the sheathing.

6.5.8 Joists. Joists are members extending across the crate underneath the top which serve to support and transfer vertical stacking loads to the side panels. Joists also serve to prevent crushing or buckling of tops when slings or grabhooks are used.22

6.5.9 Load-bearing, floorboards. Load-bearing floorboard. are transverse members of bases which serve «o distribute and transfer loads Co the outside skids.

6.5.10 <u>Rubbing strips</u>. Rubbing strips are longitudinal members nailed to the bottom of skids to provide for sling and forklift truck handling.

6.5.11 <u>Sheathing</u>. Sheathing is the plywood or boards nailed to the frame members and enclosing the crate. Usually that used on the top panels is called top sheathing; that used on the side or and panels is called side or and sheathing; that nailed to the top of skids is called flooring; and that nailed to the bottom of sills is called bottom sheathing.

6.5.12 <u>Side Frame members</u>. Side frame members are the members of top without joist which are parallel to the long dimension and serve as fastening members and to tie the construction together.

6.5.13 <u>Sills</u>- Sills are the members, which with sill bridging, form the frame work of sill-type bases. Sills carry and transfer loads to side panels and serve as fastening members. There are side sills, end sills, and intermediate sills.

6.5.14 Sill bridging. Sill bridging are members of the same depth as the sills, which are inserted at right angles to the intermediate sills and serve to prevent lateral turning or buckling of sills.

6.5.15 <u>Skids</u>. Skids are longitudinal members attached to the bottom of the crate which serve to support and transfer the load to the side panels.

6.5.16 <u>Sleepers</u>. Sleepers are members underneath the floor of skid-type bases to which the item is anchored (through the floor) so that the tie-down stress will be distributed.

6.5.17 <u>Strap, lag screw</u>. Strap, lag screw is a metal reinforcing strap used on sides and ends of bolted crates to reinforce and increase lateral resistance of lag screws.

6.5.18 Struts Struts are vertical frame members, placed between the upper and lower frame members of the side and end panels and serve as columns for supporting vertical stacking loads. The end struts are sometimes referred to as corner pests.

6.5.19 Upper and lower frame members, - Upper and lower frame members are those horizontal members at the top and bottom of the side and end panels which serve to tie the construction together.

6.5.20 <u>Vertical joist supports</u>. Vertical Joist supports are vertical members attached to the inside face of the sides of crates which serve to support the joists and assist the struts in supporting vertical stacking loads.

6.5.21 <u>Inside dimension</u>. Inside length or width of a crate is the distance between inner surfaces of opposite struts. Inside height is the distance between floorboards of skid bases or top of sills of sill bases and the underside of top joists or framing members.

6.5.22 Outside dimensions. Outside dimensions are the overall length, width, and height of the crate or its contents, whichever is greater. Actual dimensions, except in designing, are corrected whole inches, any fraction less than 1/2 inch being disregarded, and any fraction of 1/2 inch or greater being considered a full inch.

6.5.23 <u>Cubic displacement</u>. Cubic displacement of a crate is calculated from the outside dimensions in inches and is stated in cubic feet.

6.6 Method of estimating tare weight. The approximate tare weight of either a lumber-sheathed or plywood-sheathed crate may be estimated as follows and as indicated in table IX.

Estimate the length, width, and height of the crate to the nearest 1/2 foot. Compute the total area of sides, ends, top, and base - A. Multiply crate width by crate height - S.

	I	Weight of cr	ate (1b.)	
S	1	f	3/8-inch plywood	3/8-inch plywood
· •	<pre>l1-inch lumber sheathing and l2-inch framing</pre>	sheathing and	2-inch framing	<pre>sheathing and l-inch framing members</pre>
Less than 20	A x 4.0	A x 3.6	A x 3.2	A x 2.9
20 and over but less than 40	A x 5.0	A x 4.5	A x 4 0	A x 3.6
40 and over but less than 70	A x 6.0	A x 5.4	A x 4.8	A x 4.3
70 and over	A x 7.0	A x 6.3	A x 5.6	A x 5.0

TABLE IX. Tare weight estimating factors.

All of the above weights are based on lumber weighing 2,290 lb per 1,000 nominal board feet. For any other wood weight, the tare weights obtained should be increased or decreased in the same proportion that the wood weight is increased or decreased.

6.7 <u>Crate design</u>. The engineering design or crate includes consideration of normal handling stresses imposed on the loaded crate by forklift trucks, slings, or grabhooks as well as stresses on members and assembly fastenings encountered by drops. The tops have been designed for a superimposed load of 50 lb per square foot. The sides have been designed for a top load, with dunnage, of 200 lb per square foot for net loads of 10,000 lb, and 400 lb per square foot for loads over 10,000 lb. The skids of the base have been considered as part of the lower frame member of the side in the engineering analysis. This analysis allows the use of smaller skids thereby saving cube and material, but prevents the handling of a loaded crate without the sides and ends in place.

6.8 Recycled material. It is encouraged chat recycled material be **used when** practical as long as it meets the requirements of the specification (see 3.3.5).

6.9 Subject term (key word) listing. Crates Sheathing Sheathed Plywood-sheathed Lumber-sheathed Skid-base Sill-base Diagonals

6.10 Changes from previous issue. Marginal notations are not used in this revision to identify changes with <code>respect</code> to the previous issue due to the extensiveness of the changes

Custodians:Preparing Activity:Army - MENavy - YDNavy - YDAir Force - 69Air Force - 69(Project 8115-0510)Review Activities:Army - CR, SN, GL, EA, ARNavy - AS, MC, SAAir Force - 99User Activities.Army - AT, ER

	IT	hickness of	of load-bear	ing floorboa	ard (in.)	
Distance between skids(in)	3/4	1-1,	/2 2-1/2	2 3-1/2	2 5-1/2	7-1/2
12 18	 57 38	 287 191	 600 400	 1170 780	2900 1930	 5000 3350
24 30	29	{ 143 115	300	590	1400	2500
36 42	23 19 16	95	240	390	960	16 8 0 1440
42 48 54	16 14 12	82 71 63	170 150 130	335 290 260	720 645	1250 1120
60 66		57	130 120 110	234	580	1000 910
72 84	9	32 48 41	100 100 85	195 140	480	910 840 710
96		41 35 34	6 5 75 66	140 167 130	300	630 560
108 120		34	60		233 210	500

TABLE X. Allowable load in 1b per inch of floorboard width -Groups I and II woods.

1		Lengt	h of cr	ate (ft	.)		
4	18	12	1 16	20	1 24	28	32
 2x4	 2x4	2x4	2x4	2x4	2x6	2x6	 2x6
2x4	2 x 4	2x4	2x4	2x6	2x6	2x6	2x8
2 x 4	2x4	2x4	2x6	2x6	2x6	2x8	2x8
	2 x 4	2x6	2x6	2x6	2x8	2x8	2x8
	2x6	2x6	2x6	2x8	2x8	2x8	2 x 10
	2x6	2x6	2x8	2x8	2x8	2x10	2x10
	2x6	2x8	2 x 8	2 x 8	2x10	2x10	2x10
	2 x8	2x8	2x8	2x10	2x10	2 x 10	2- 2x8
	2 x 8	2x8	2x10	2x10	2x10	2- 2x8	2- 2x8
	2 x8	2x10	2x10	2x10	2- 2x8	2- 2x8	2- 2x8
	2x4 2x4 2x4 	2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x6 2x6 2x6 2x8 2x8 2x8	4 8 12 2x4 2x4 2x4 2x6 2x6 2x6 2x8 2x8 2x8 2x8 2x8	4 8 12 16 2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x6 2x4 2x6 2x6 2x6 2x6 2x6 2x6 2x6 2x8 2x6 2x8 2x8 2x8 2x8 2x8 2x8 2x8 2x10	4 8 12 16 20 2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x4 2x6 2x4 2x4 2x4 2x6 2x6 2x4 2x4 2x6 2x6 2x6 2x4 2x4 2x6 2x6 2x6 2x4 2x6 2x6 2x6 2x6 2x6 2x6 2x8 2x8 2x6 2x8 2x8 2x8 2x6 2x8 2x8 2x10 2x8 2x8 2x10 2x10	2x4 2x4 2x4 2x4 2x4 2x6 2x4 2x4 2x4 2x4 2x6 2x6 2x4 2x4 2x4 2x6 2x6 2x6 2x4 2x4 2x6 2x6 2x6 2x6 2x4 2x6 2x6 2x6 2x8 2x8 2x6 2x6 2x8 2x8 2x8 2x6 2x6 2x8 2x8 2x8 2x6 2x8 2x8 2x8 2x10 2x6 2x8 2x8 2x10 2x10 2x8 2x8 2x10 2x10	4 8 12 16 20 24 28 2x4 2x4 2x4 2x4 2x4 2x6 2x6 2x4 2x4 2x4 2x4 2x6 2x6 2x6 2x4 2x4 2x4 2x6 2x6 2x6 2x6 2x4 2x4 2x6 2x6 2x6 2x8 2x8 2x4 2x4 2x6 2x6 2x8 2x8 2x8 2x4 2x6 2x6 2x6 2x8 2x8 2x8 2x6 2x6 2x8 2x8 2x8 2x8 2x6 2x6 2x8 2x8 2x10 2x6 2x8 2x8 2x10 2x10 2x6 2x8 2x8 2x10 2x10 2x8 2x8 2x10 2x10 2x10 2x8 2x8 2x10 2x10 2x10 2x8 2x8 2x10 2x10 2x10

TABLE XI. Nominal size of side sills (in.)*

* The above sizes are for crates with a height of 3 feet or less. For heights of over 3 feet, increase 2x4 sizes to 2x6; increase 2x6 to 2x8; increase 2x8 to 2x10; and increase 2- 2x8 to 2- 2x10.

 TABLE XII
 Allowable load for intermediate sills (in lb per inch of sill width)

Length of sill (ft)	 			depth (i I and II	-		
	1-1/2	2-1/2	1 3-1/2	5-1/2	1 7-1/2	1 9-1/2	11-1/2
4	71	150	290	720	1,250	2,000	3,000
5	57	120	234	580	1,000	1,640	2,400
6	48	10 0	195	480	840	1,320	2,020
7	41	85	167	399	710	1,170	1,730
8	35	75	140	350	630	1,020	1,500
9	34	66	130	j 300	560	910	1,350
10	30	60	117	270	500	820	1,200

TABLE XIII.	Ponel nember	selection	table for	1.000 Lb	. net load.#

NOTE: All blank spaces are 1x4's

			foot	width			6	Foot	t wid	Ith				foot	: wte	ith		[10	Foot	t #1	th	
Length (ft.)	Henber		te i ght 6	(ft) 8 10	15	2		tight 6	t (f1 8		12	2	- H 4	e igh' 6	: (Fi 8		12	2	- Hi 4	elgh 6		t.) 10	12
6	Upper frame Lower frame Struts Biagonal					2×4	2x4	2×4	2×4	2×4		2x4	2×4	2x4	2×4	2x4 2x4 2x4 2x4		2x4	2×4	2×4	2×4	Ex4 2x4 2x4	2×4 2×4 2×4
9	Upper frame Lower frame Struts Diagonal					2x4	2x4	2x4	2x4	2×4		2x4	2×4	Ex4	2×4	8x4 8x4 2x4		2x4	2×4	2x4		2x4 2x4 2x4	2x4 2x4 2x4
10	Upper frame Lower frame Struts Diagonal					2x4	2×4	2×4	2x4	Ž×4		2x4	2x4	2x4	Ž×4	2x4 2x4 2x4 2x4		2x4	2x4	2x4		2x4 2x4 2x4 2x4	2×4 2×4 2×4
12	Upper frame Lower frame Struts Diagonal					2x4	2x4	2×4	2x4	2×4		2×4	2x4	2x4	2×4	2x4 2x4 2x4		2x4	2x4	2x4		2×4 2×4 2×4	2x4 2x4 2x4
16	Upper frame Lower frame Strutš Diagonal					2x4	2x4	2x4	2×4	2×4		2×4	2×4	2x4	-	2x4 2x4 2x4 2x4		2x4	2x4 1x6	-	-	2×4 2×4 2×4	2×4 2×4 2×4
20	Upper frame Lower frame Struts Diagonal		<u></u>			2×4	2×4	2x4	2×4	2×4		2×4	2×4	2x4	-	2x4 2x4 2x4		2x4	2×4 1×6			2×4 2×4 2×4	2×4 2×4 2×4 1×6
24	Upper frame Lower frame Struts Diagonal	1x6 1x6 1x6				1×6 1×6 1×6		2×4	2x4 1x6	2×4			1×6	2×4		2×4 2×4			2×4 1×6		_	2×4 2×4 2×4	2×4 2×4 2×4 2×4
28	Upper frame Lower frame Struts Diagonal	1x6 1x6				ixe	5 2×4	2x4	2x4 1x6	2×4			1×6		1)#9	2x4 2x4 2x4 1x6			1×6		2x4 2x4	2x4 2x4 2x4 1x6	2×4 2×4 2×4 1×4
32	Upper frame Lower frame Struts Diagonal	1×6	1×6			1×6	5 2×4	2×4	1×6	2×4			1×6		2×4 2×4 2×4	2x4 2x4 2x4 2x4			1×6		2x4 2x4 2x4	2x4 2x4 2x4 2x4	2x4 2x4 2x5 2x4 2x5

Crates 12 feet high in 6-foot widths and crates 10 feet high in 8-foot widths require 2x4 vertical joists supports when struts are 1 inch thick; all other sizes use horizontal joist supports

(

		•	4 foot width	-	6 foot width	ŧ			8 foo	8 foot wighth	;		9	10 foot	"Idth	
Length (Ft >	Nerber	2 THE IC	t (ft.) 8 10	12 2	Height (Ft.)		12		100	t (51.) 8 10	2		÷,	÷.	Height (Ft.)	9
v	Upper Frame Lover Frame Struts			2 7 S	2x4 2x4 2x4	2×4		Zx4 2x4	TX.	5		ð	24 24	24 2	- XXX XXX	
6	Lower France Structs			2×4 2y	2x4 2x4 2x4 2x4 2x4	2×4		2x4 2x4	5×4	E	.	ž	12	2×4 2	2x4 2x4 2x4 2x4 2x4 2x4	
9	Upper frame Lower frame Struts Disconal			1×2 1×2	4 2x4 2x4 2x4	2x4		2x4 2x4	2×4		3. Š. Š. Š. Š.	5×4	142	Px4 2		
12	Upper frame Lower frame Struts Diagonal			2x4 2x4	14 2x4 2x4 2x4	2×4		2x4 2x4 2x4	+ 2x4	- 	X XX	Ł	Pri 2x4 2x4		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	XXX
16	Upper frame Lover frame Struts Blagonal			2 7 4 2	2x4 2x4 2x4 2x4 2x4	2×4		2x4 2x4 2x4			***	ž	2×1 2	N III		××××
20	Upper frame Lower frame Struts Diagonal			2 ×4 2	Ex4 2x4 2x4 2x4 2x4	2×4		2x4	4 2x4		XXXX	5 4	1×1 1×1	12	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
54	Upper frame Lower frame Struts Placenal	x x x x		1x6 2x4 1x6	2x4 2x4 1x6	2×4		1x6 2x4 1x6 1x6	4 2×4		XXX:	X X	XX YX	12	5555 5555	ČĂĂ.
58	Upper frame Lower frame Struts Diagonal	9 99 X X X X X X		1x6 2x4 1x6 1x6	2x4 2x4	2×4	1	1x6 2x4	4 2x4 6		EZZZI	<u>8 8 8</u>]	XX 9	20	. 1	
36	Upper frame Lower frame Struts Blagonal	<u> </u>	****	1x6 2x4 1x6 1x6 1x6	2×4		<u> </u>	ix6 2x4 1x6 1x6 1x6 1x6	4 2x4		1		X			

TALE XIV. Panel rember selection table for 2,000 (b, net load. #

MIL-C-104C

			4 foot width		6 Fa	6 foot width	đ			8	foot #1	Ē			2	ĕ	* idth	
Length (ft.)	n Nerber	ĩ	Height (ft) 4 6 8 10	ĭ2	t Height	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	(;) ; ;	~	~	Ŧ,	He off	(tt.) 8 10	12	2	! <u>₹</u> ,	4	(g
w	Upper frame Lower frame Struts Diagonal				2x4 2x4 2x4	1 2x4	2×4		2×4	2×4 2	2×4 2×4	 	*** ***	ž	12	2 1×3	1×2 1×2 1×2	
æ	Upper frame Lower frame Structs Diagonal			†	2x4 2x4 2x4 2x4 2x4	(1 2x4	5×5	1	2x4	2x4 2x4 2x4	-		1. 	ž	2		5×1 5×1 5×1	
0	Upper frame Lower frame Structs Diabonal		1×6	1	2x4 2x4 2x4	1	2×4	1	2x4 2x4	2x4 2) • • • • •	*** ***	2×4	₹¥	- NNN00 NNN00 	1 X 1 X 1 X 1 X 1 X 1 X 1 X 1 X 1 X 1 X	
12	Upper frame Lower frame Structs Diagonal		1×6		2x4 2x4 2x4		2×4		2x4	2x4 2	54 54 54 54		××××	1 2	2×4	10000 700 700	5×1 5×1	ăăă!
16	Upper frame Lower frame Structs Diagonal	1×6	1×6	 	2x4 2x4 2x4		2×4	<u> </u>	2×4	2x4 2x4		****	****	ž	2x4 2x4 1x6	1	12222 12222	
50	Upper frame Lower frame Structs Diagonal	1x6	1×6		2x4 2x4 2x4		2×4	1	2x4	2×4 4×2	120 120 120		1777 XXX XXX XXX XXX XXX XXX XXX XXX XXX	న	2×4	10000 720 120	a āā 13.5.8.2	
54	Upper frane Loeer frane Struts Biagonal	1x6 1x6 1x6 1x6			1x6 1x6 2x4 1x6 1x6	1 -	2×4	× ×	1x6 1x6 1x6 1x6 1x6	•	2×1		****	¥ ¥1	2 2	N N N N N N N N N N N N N N N N N N N		1
58	Upper frame Lover frame Struts Diagonal	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	1x6 1x6		1x6 2x4 2x4 1x6 1x6 1x6 1x6	1	2×4			2 9 X 1	2×4 2×4 2×4 2×4	1	2222	N X X X X	8×1	1	1	
32	Upper frame Lower frame Struts Diagonal	99999 ×××××	1x6 2x4 1x6 2x4 2x4 2x4 2x4	1x6	1x6 2x4 2x4 1x6 1x6 1x6		2×4 1×6		4	<u>x</u> xx	1000 000 72000 000 72000 000			222ª	2×4	1		1

Panel nember selection table for 4,000 lb, net lond.w TABLE XV

ALL MARK

MIL-C-104C

			4 foot		ء		6 5	6 foot width	dth			•	foot 1	ŧ			2	foot	t midth	ŧ	
Length (ft.)	Hentber	10	Tel Tel Tel	t (ft. 8 1) 0 12	•	teloht 6 6ht	ent crt	<u></u>	8 <u>2</u>	•	ĺ₹,	100		2		⁼∢	He of	t (rt.)	22	1 2
vo	Upper frane Lower frane Struts Diagonal			1×6		ž	SX4 S	2x4 2x4	2×4		2×4	2×4 2	54 F	ž	8222	TX2	1 2×1	Ň	2222	XXX	× XXX
œ	Upper frame Lower frame Struts Blagonal			1	3	2X4	2×4 2	2x4 2x	4×3	1	2×4	2x4 2x4	i		S X X X	ž	TX2	1	5 2 2 2	XXX	.
10	Upper Frane Lover Frane Struts Diabonal					2x4 2x4		2x4 2x4 2x4 2x4 2x4 2x4	4 X V	2 3	24 24	2×4 2	5 5 5		222	1×2	Ň	1	8 8 8 8		స్పవసిన
12	Upper frame Lever frame Struts Blagonal	1×6				2×4	2×4 2	1×2 1×2 1×2 1×2	4 8	y y	5×4	2×4 2	10000 1 1	<u>,</u>	ð N N	5×4	YX2		52222	Sažž.	
16	Upper frame Lever frame Struts Diagonal	5×6				2x4	2x4 2	2x4 2x4 2x4 2x4 2x4 2x4	4 X2	9×	2x4	2×4	10000 N			SX6	5 2x4 1x6		50.00	1	S X X X X
92 S	Upper frame Lower frame Struts Diagonal		ye X	ప న్నేవే		2×4	2×4 2	4×2 4×2 7×2 9×1 9×1	2×4 1×6	× *	2x6 2x4	2×4 2				9 2 2	5 2x4	1 1	12222	× × × ×	
54	Upper frame Lower frame Struts Diagonal		1×6 1×6		1×6	2222 2222		1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2×4 1×6	ప న ప న	<u>~~</u> 222	2x6 2 1x6	22 2 4	5555 5555	ŠŠŠŠ	<u>888</u> 2	9 9 9 9 1 9 1 9	TX Y	వేనేనేనే	<u></u>	ŠŠŠ
58	Upper frame Lower frame Struts Diagonal	2222 22222	2x4 1x6		1×6	99999 ××××	2×4 2		- v		1	2x6 2 1x6		a a a a	5555	8222 8222		1	8 8 8 8 8		1222
R	Upper frame Lover frame Struts Diagonal	2x6 1x6 1x6 1x6	2x6 1x6 1x6		4×2 5×4 7×2 9× 9×	**** ****	40	2x4 2x4 2x4 2x4 2x4 2x4 2x4	2×4 1×6	వే నే నే నే	****	2×4	16969 4474 8888	àààà TTTT	A NAA	8888		1	వే నేనేన	1.1.1 1.1.1.1	2000

TABLE XVI. Panel nember selection table for 6,000 (b, net load.#

-

MIL-C-104C

NOTE	All blank spaces are 1x4'	ACes o	ň z																		
			-	4 foot	#Idth			6 f	6 foot width	idth			8	foot	1		<u> </u>	2	Į	= idth	
Length		(Ъ. Ч	t.	(Ft		•	Ī.	Height	(ft.)			Ŧ	Height	E		<u> </u>	Ŧ	16	l 🕹	
		v 	•	。	- 1	2	~	-	8 9	2	12	2	+	-0	8 10	12	າ 	*	NO	8 10	2
•	Upper frane			~	T)		₽×₽	2×4 2	2×4 2×4	4 2×4		2×4	2×4	8×4	\$×6	à	TX I	ž	ž	1_	
P	Strute			V (1	23				Ň	•••						х. N				Š.	120
	Diegonal		-	1×6 2	5 Å	1×6		-	4 X X Q X Q X X	* 1×9	1×6				1	ŇŇ				× ₩ ₩	
	Upper frame	1×6		1.		2×4	2×4	2×4 2		1	₹×∂	2×4	2×4	2×4	X	à	ž	24	2.4		
20	LORAT Frence			~ (×	4 X V			Ň	*						Ň	-			X4 2X4	. 4
	Diegonal		-	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	žž	+ × N			Ň		1 x6		1 v 6	172	• •	Ž N			1	న న	
	Upper Frane	1×6		1	×		2×4	2×4 2	2×4 2×1	4 2×4		2×4	N N	Š	। शेष्ट्र	Ň	2×1	1 2×1		57 55	Š Č
10	Lover frame			•••	X 3				à	** 1					2	Ň				X X X X X	Ň
	Diaponal			4 01	k x	1×6	-		۵. ۵	* 4	1×6				ţį	ž J N -			4×1		
	Upper frane	2×6			X		2×4	2 4 2	2×4 2×4	4 2×4		2×4	2×4	2×4	Ţ	à	Ň	2×4	1		
2	Lower frame Structs			~	* *				X 3	***				-	5]	Ň					
	Diegonal			1×6 2		1×6 1×6			ί.λ	• •	1×6				a t	ix y XX IX V XX V XX			1×6	Ext Ext	***
	Upper frame	2×6		~	×		2×4	2x4 2x4 2x4		*×2 *		5×4	8×4	2×4	X		8	× Å		12	
2	Struts								23	* 4					53	X		3		.	ž.
	Dieponal	-		1×6 2		1×6 1×6			່ ລື		1×6				≏ ₹₹	xe xe			1×1		
0	Upper frame		2x6 1x6	~	ž		2x4	2×4 2	2×4 2×4	4 2×4		2×6	2×4	2×4	Þ.	1	5×6	6 2x4			Γ
;	Struts				k x				űÃ	4 1×6		2×4	1×6	24	a ¥≹	ž N T		1		224 224 224	_
	Diagonal	-+	×		-	1×6 1×6			1×6 2×4					1×6		к С 9		2	÷.		5 Å
70	Upper frame		9X2		ž	2	<u>×</u>	1 x6 1	1×6 2×4	4 2×4	Sx4	1×6	2×6	2×4	î Î	ž.	× •	9 63 9	ž		
.	Struts	1×6		U QI		4 X 7 X 9 9 9			ີພິດ	9×1 1×1 1 t t	ŇĂ	1×6	1×6		ñá tt	õž TT	ž ž	<u>لا</u> د د		X0 7X0	
	Diegonal	┥			_		2 2	-	×6 29	× 1×	ă	1×6		1×6	Ĵ.	5			1×6		
58	Upper from	2X6	à à X		2X4 2X	4X0 47	× 1	2×4 2×4	2×4 22	+×2 +	ž X	2×6	8×6	2×4	86 7	Xa T	8	5 2×6	ă	X4 2X	×.
}	Struts						<u> </u>		ວົລົ	t st	Śă	2 Y	1×6		ûå F₹	i i Va U T		5 5 6			
	Dieponel	+		-1	_	_]	2		1×6 2×	2	ð	1x6		1×6	A H	-		-	_		
22	Upper Frank		2×8 1×	•	X	4 X X	2 2 2	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2×4 20	TX N T	Ň	Sx6	SX5	t X	a X	Xa T	8 2	6 2x6		-	
2	Struts			9 01	k X	2 X 4			δā	t 7	ŠŽ	9 Y 7 X 7 X 7 X 7 X 7 X 7 X 7 X 7 X 7 X 7 X	y.		ی E	žj Na t:	× :			∾ • •	
	Diagonal	1×8		1×6 2	2x4 1)	c6 2x4	1 × 6	-	x6 2x4	4 1×6		22)a Fi	ŠŇ tt	<u>8</u> <u>8</u>		2		6 2 X 6 1
# Crate are 1	<pre>Crates 12 feet high in 6-foot are 1 inch thick, all other siz</pre>		6-foc	Ť.	16 m	and crate: horizonta	tes 10 fe tol joist	44 B)	st high in supports		8-foot 1	ridths require	Б. Г	1.	2 4 2	vertica	l joists	ł.	stroopts	F	The second

TABLE XVII. Panel member selection table for 8,000 (b, net load.s

**

MIL-C-104C

	4 60			4 1	5	width		-	9	foot	t width	Į			•	12			╞						Г
Length				Ī	Ĭ	1		Ļ				1	T						╀					1	Т
(:+;)	Herber		2	+ 5	8		2	•	•			10	2	a,	E _	j.	50	~0	12	N	Ī,	ž.	8 10	12	-
7		frame			ð.	÷.	å	2	4 2×4	2×4	2×2	2x4	Xa	1×2	N N	2×4	I		╞		12 4 K			à	-
,		5			2					1.1			X			ž.	Ţ	ا س	X	•				à	-
	Diegonal			×	•0	(* 1×6	e e e			9×1			XX		ž			84 19 10			ñd X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	à	Ä.	-
	2 1900	22	1×6		-	1	L	à	1 241	1		176	3	170					+		-1				e l'
80		225		i à		. 🛫	Ň				i t X		ž v	ŧX V	ž V		<u> </u>	ny (t			ພິດ •× ພິ	ð. T			
	Struts			â	*	<1 1×6				ă		1×6	, X		1×6	SX P	Î			-	ûá Y	53 53	ŏŻ		* *
				1×6 2	-			1×6		1	8×4	ž	ž	1×6	£	Ň	Ţ	101 192				să E	-		
•		a la	1×6		Ñ.	1	Ň		4 2×4		х.	¥X X	8×4	2×4	Ň	ă	ŧ	1	ļ.,	2 ¥ 4 2	100	•	F	Γ	
7 7		Ę		•							4 X U		₹¥				Ţ	i N							
		_	•						•	9	ž	9 X 1	Ň			1×6	1	N V	-		iŵ	Ň			-
		Ţ	- 4	Ä QX	лİ			×		- 1	ŝ	1×6	8×4	1×6	1×6	9×1	1	en R		1 921	1×6 P	_			-
	1. 1900		2x6		<u>ه</u> ،	t	Ň		6 2×4		4×3	2×4	2×4	2×6	4 XQ	1×a	م ا بر	1	┡	1		1			F
14	LOWER FLARE	ž									4×0	4×8	4×2			4 X				-					
	Struts		•			(1 1×6				2×4	2×2	2×4	2×4			t X		1 1 1) á	244 24			
	Piepone.				<u>ا</u> م		- 1	_			2×4	4×2	ž	1×6	-	Ň				1	2 2 2 2 2 2 3 4 3 4 3 4 3 4 3 4 3 4 3 4				
:	Upper frene	ş	2×8	1×6	ð,	*	Š	1 2x8	8 2×4		2× 7	2×4	2×4	8×2	i .	1 X		ex4	F	J	1_			Τ	
2					Ñ					4×0	4X A	4×2	4 X Q			+ XN		_				2×4 2×			
-	STUR		•	•		(4 1×6				4×0	ž	8×4	2×2		X	4×N	ái T	_				_			
	Piegone.		2 2 2	1×6 1×6 1×	ام	-		_	9 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		2×4	2×4	2 4	1×6	1	24		ext &		-		a X	_		
	upper frame	ş	0 8 X 8	ລິ. • ວິ.	•	.	Ň	80		2×4	2×4	2×4	2×4	2×8	9 Ã	à	1	_	Ľ	8	17	í	ł.,		1-
.		Ę	9X [Ñ					Ŷ	4X0	TX a	2X T	ŠX.	¥		1 + X2	ñ K	N + X	_		-	N X			•
			1.12	Ñd	* •						ູ້	ž.	ð	•		ă	3	w X							Ý
		Ţ			• •		1	_			ž	X	ž	1×6	X	8×4		ri Tx	*	2	-			_	ę
76		Z		žų SXQ SXQ	•	ž No	ž.	۵ -	2x8 2x6		8×4	ŧ×N	TX N	2×8	2×6	20						F .	1_		F
5				Gá	• •	_	× i	-		Ň	Ň	ž.	Т Х N	8 <u>×</u>	•	+ X	6) 5	tv TX	1		_				*
	Disconal			7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2									37			Ň	NI K	ινι φ	*						*
	Looer 5	Frence	2×8 2	2 9												ă la			8				Ž.		el·
88 0	Lower Fr	Frence	1×8	ເລີ [ζ γœ	22	5		i a				vić Ž			_	_				
	Struts		1×8	ن م :	-	_	_		. 01	52			2		a d		14 53	v 0 t 4							÷ •
	Blagonal		1×8 1	1×6 2×4	-	4 PX	4 2×4	8×1	8 18	à	2	20	Å	2	50	ă			1						2
1	Upper fram	Ę	2×8 2	2×8 2×6	ð 8		4 PX	4	823 8	å	2	2×4	1×	Ex10		22	å	-	F		6		1.		T
32	Lover Frane	ž	1×8	ର	_	-	*×		ø	P x 4	1	4×0	ž	2×6	120	Px4	Z	2			•]2	14 []		
	Struts		1×8 1	2 2		ž Ž	T N X		6 1×6	2×4	TX N	4 × N	ž	4 X Q	¥ X	X	10		×) T		
	Piagona		8X 2 8	2 9 2	_		4 2xt	2	8 1x6	2x4	2,00	2×6	8×6	2×8 8×2	ž	X		200	*	1	X			: 2	÷ Ý
H Crate ore 	Crates 12 feet high i are 1 inch thicki all		In 6-foet			ti sti		tes l		Ē	5	-B-E	00t w	vidths	Z	ĩ	Š	er tic	9, 10	Joists	ğ	a ite	Sec.	23	12
, , ;				Ř				1 201 110 2 1		22	SL Dd	:													

TABLE XVIII. Panel nember selection table for 10,000 lb, net load.m

NOTE: All blank spaces are 1x4's.

NOTE	NOTE: ALL blank spaces are	Ces an	2×4	ʻs,										•							
			4 foot		width			6 f 00	6 foot width	₽			8 fo	8 foot wighth	£		ĺ	9 9	10 foot width	ŧ	
Length (ft.)	h Nerber	-	E C L		(ft.) 10	12	+	5 ¥ 9	Height (ft.) 6 8 10	<u></u>	<u></u>	+	10 1 1 0	Height (ft.) 6 8 10	<u></u>	2	-	6 1 1 1 1 0		(1) (1)	12
v	Upper frame Lower frame Struts Blagonal			5x6	5×6	S. S.		, v	2×6	5 5 7 7 7	2×6		\$	3	žž	22		2	999 XX	24 X X	8.8 N.N
80	Upper frane Lover frane Struts Diagonal		206 2	2x6		C. K.		2 2 2 2	نة بع م	୍	e Sxe Sxe		¥ X	t	99 81.	88		2.2	99 20	99 202	999 200
10	Upper frame Lover frame Struts Blagonal		9 8 8	5×6	2×6			5×6 2	000 200 200 200	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 99 5 5 5 5			f ⁻ -	3 4			20	19 19 20 20		90 99 X X X X X
12	Upper frane Lover frane Struts Blagonal			246	SX6	2×6 2×6		50 50 50 br>50 50 50 50 50 50 50 50 50 50 50 5	0.0 9.9 2.2	5×66 2×66	999 XX V X		2X6 2X6 2X6	† ·		88	ž		99 20	1	292 N N
16	Upper frane Lower frane Struts Biagonal		,u	2×6	99 X X N N	8. 5. 5. 5. 5.		~~	299 200	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9.9 X X	2x6 2x6	2xe	t ·		88	19 19 20 20	X	999 202		199 N N
20	Upper frame Lover frame Struts Diagonal	2x6	40 20		e xx Sx Sx		1	!	i i	1	ะ มัล			t .	5	88	98 18 2	X	4		22
24	Upper frame Lower frame Struts Blagonal	ర్జాళ్ల ని చి	କୁହୁୁ କୁହୁୁ ରୁଦ୍ଧ କୁ	1	2 X Q 2 X Q 2 X 2 X	9.9 X X	J	2x6 2x6 2x6			୍କୁ କୁ ଅ ୟ	8 9 2 9 2 2 2 2	2x6 2x6 2x6	• •	1	2 4 4 Å Å	କୁ ହୁ ଇ ର ର	5 55		19 19 19 11 11 11 11	10 YO
58	Upper frame Lower frame Struts Biagonal	1.9 XX XX XX	2x10 2x6 2 2x6 2x6 2	2×8 2×6	2x6	2x6		2×6 2×6 2×6	6 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		¥3	2x6 2x6 2x6	1	1. 18 88		9 9	0 1×2 2 2	a a	9 9 9 20 22		10 00 X X
32	Upper frane Lover frane Struts Diagonal	- ลิจิจิจิจิจิจิจิจิจิจิจิจิจิจิจิจิจิจิจ	2.46 2.46 2.46	200 P		2x6	2×10 2×8 2×6	2×8 2 2×6 2	2×6 2×6 2×6	~ କୁନ୍ଦୁ ଅ	2x6	2×6 2×6 2×6	80 92 X	I	9 9 5 5	8 8 X			9 8 8 X	x x	¥ 8
н Тің	The above sizes are	for	uniform loads,	0		ut als	but also apply to		oncen	t at	concentrated loads		1		1					1]

TABLE XIX. Panel neriber selection table for 15,000 lb, net long."

MIL-C-104C

			+	4 foot a	width			6 F	foot width	H			6	foot wigth	ŧ	Γ		10 foot	18	#Idth	
Length (ft.)	Nentber	-	Ξ.o	Height ((Ft.) 10	12	-	Ξo	Height ((ft.) 10	12	-	Ī.	1014 1014 0	(. 1)	=	-	÷.	40	(.f.)	1 2
9	Upper frame Lower frame Storide	ž	2	d	1						:										
	Jiegonal	922 52		8.9 8 8 8 8	99 6 6 6	2×6	83	ő ő	6 % Å Å	8 X	8 X	8 %	8 8	20	XX	žž	* *	8 8	2 2	% %	9 % 9 %
0	Upper frame	2x6	2×6				2×6	2x6				2×6	N.		ļ		2×2	9 Å			
•	Struts Bleconal	X		2 N N	9 9 202	2×6	9×2	ж Х	82	99 202	9 9 No	SX SX SX SX SX SX SX SX SX SX SX SX SX S	8	X	ž	20	2	8	99 Å	2	Э Х О Х
	Upper frame	2x6	Ň	2×6			2×6	S S S S S S S S S S S S S S S S S S S	Š Š		3	5×6	999 2020		<u>s</u>	8				ŝ	R.
	Struts Bleponal	2x6	53	X X	4 4	e e N N	2×6	¢¢ S×¢	8 8 N N	8X6 8X6	Ş Ş Ş	2x6	žž	2		£2	ž	202	19 1 20 6	22	8×6
5	Upper Frane	2x6	2×6	2×6	1		2x6	2x6	2X6			2×6	5×6	2			8 2	S N	3	2	3
:	Struts Blagonal	2x6	XX	99 ãã	999 2 2	99 N N	2×6	8×6 8×6	%%	998 898	2 22	2×6	99 20 20	2	9×9	22	And a	22	19 4 20 4	19 1 61 6	19 20 20
71	Upper Frent	2x6	exe a	2×6	t		2x6	2×6	ж Х	8x8		S×6	X	å	N.		2×9	18	2	2	
A	Struts Biegonal	99×2		999 80 80	99 2 2 2	Sx6 Sx6	22	2 ×6	କ୍ଷ ସ ରାଶ	999 88	କୁ କୁ ରି ରି	22	22	22	2	99 20 4	89	ž	99 80 80 80 80	99 20	8 4 X 0 X 0
Uc	Upper frame	2×8	× N	2×6		2x6	8×2	2×6	N N N	2×6	2×6	2×8	\$ \$	8	Y N N	20	2×8	S &	20	2	
	Struts Diagonal	ž	Ŕ	2×6	8.8 8 9	9.9 0 0	9×2	2×6	26	998 88	22 2 2	ž	24	2	у С С	× XX	Y.	ž	9~8		8 X 0 X 0
10	Upper frame	2×10 2×4	2×4	2×6		2×6	5 ×10		SX6	9 Å	2×6	2×10		å	У С Х	94	ex10		9×9	3	
t.	Struts Biogonal	រំរំរំ	22		92 20 20 20 20 20 20 20 20 20 20 20 20 20	999 N N	ຂູ ຈູ ອູ ລິ ລິ ລິ	2×6 2×6	2×8	98 X X	2x6 2x6		99 N N	2	N N N	8 2	2 8 ¥	8 2 2	876		8 X 0 X 0
g	Upper frame	0 X	822	8×8	1	2×6	01×0		2×8	2×6	2×6	5 N N		8	N N	N.	2×10		8~	2	2 92 2 02 2 02
9	Struts Diagonal	\$	2×6	8 8 9		2x6	9×2	2×6	8 8 X X W X	Å	2×8	8 9 9 X	94 2	88 8	8,43	1 2	2×6 2×6	9×3	8×9 8×8	2	2×8
R	Upper frame Lover frame	2×10	2X	2 ×8	2x6	2×6	2×10		2×8	8×6	2x6	2×10		80	19 20	9X	2×10			20	S S S
	Struts Biagonal	8	2,46	8 8 X X X X X	2×8 6 2×8 2×6	2×8	2×6	2×6	2×8 2×8	8X2	2×8	2×6	2×8	88 20 20	842	8%	%	876	8 X X	2	

net load	
net	
9	
000	
or 20,	
for	
n table for 20,000	
anel rerber selection	
Panel	
. xx.	
TABLE	

2

MIL-C-104C

NOTE	All blank spaces are 2x4's	Ses ore	2×4											•							
			4 50	4 foot width	idth			6 Fo	6 foot width	dth			8 Fc	8 foot width	dth			10 foot		= idth	Γ
(ft.)	Nember	*	a To	t m	(ft.) 10	12	+	Height 6 8	9 4 8 6	(ft.) 10	e	-	He lott	5 11	() 2	9		Height	4 14	(F1.)	:
4	Upper Frane	2x6	2×6				2x6	2×6				2×6	2×6	,		:	8	9%	•	:	:
>		SX6 SX6	X X	9 8 N N	% N	5×8 5×8	2 2 2 2	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8	2×6	2×8 2×8	246	9×9 5×9	87		88	8 X	19 10 10	49 Q	80	
α	Upper Frame		8×6	2×6			200		1	1		2×6	2×6	ł	1		N.				ę
>		8×9 5×9	1 2 2 2 2	9.8 X X	% %	N R N N N N	. 	99 XX	22	8 % X X	8×8 5×8	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	8 X 8 X 8 X 8	22	24	କୁ କୁ ର ର	19 19 19	00 M	80		87.7 87.7
9	Upper Frane	2x6	NX NX	2×6			2×6	1	1	1		2×6	2×6	ł	1		8	1			
2			1	998 X X	କୁ ହ ର ର	2×8 2×6	ž	8 8 9 9 9	88 8 8	ల ల న న	SX8 SX8 SX8	2×6	8 X 8 5 X 9 5 X 9	82		99 90 X X	5%8	9 2	କୁ କୁ ସୁ	86	BXX XX
¢	Upper France	2x6	SX6	2×6			2×6		1		T	2×6	2×6				200		ł	1	
:	Struts Diagonal	2x6	22	98 X X	ନ 2	2×8 2×8		8×8 8×8	99 8 8 8	8 8 X X N X	8 8 2 X 8 2 X 8	2×6	2×8 2×8	60 N N		8 8 X 8	8	90 20 20	କ କ ରି ଶ	844	8 8 8 X 8
16	Upper Frane	2x6	2×6	2x6	SX6	2x6	2×6		1	1	5.6	2×8	2x6	ł	1	9 X	8×3				20
2	Struts Diepone (2×6 2×6	12	0 X X		S×8 S×8	2 2 2 2	4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	88	8 8 X X	8 8 X 8	999 200	2x6	22		8 8	19 H 20 Q	Z	00 20 20 20 20 20 20 20 20 20 20 20 20 2	8	8×8 2×8
50	Upper Frane	2×10	2x6	2×6	8×6	2×6		1	ł		2×6	2×10	2x6	ł	i i	29	2×10	2			202
	Struts Biagonal	ex6	2	8	80 80 20 20 20 20	8×8 8×3	Å	8×3	8	82 82 20 20	99 9 20 40	8×3	8x6	2		99 20 20	8 2	6 ×3			9 4 X 4
76	Upper Frame	ł	2×10		2×6	2x6	2×10	2×10	1		5.46 2.46	2×10	2×10	ex a	1	2	2×10	S×10	8×8		vo X
, I	Struts Diegonal		*	2×8	8 8 X X	8 88 S X 8	exa a	8 8 8 X 8 8 X 8	2×10	8 8 8 X 8	କ କ ର ର	2×8	8 8 X X X X	240	8×4	8 8 X 2	84		2x8 2x10 2	8 8 8 8	8×8
ő	Upper Frank	2×10	2×10	2×10	2×6	2 See	Px10	2×10	2×10		84	2×10	2×10	No No	e Xa	99K2	10	810 8	P×10	æ	2
3	Struts Diagonal		2×8	2×8 2×8	2×8	2x8	2.8 2.8	8 8 X 3	8	2×8	5.48 5.	8×3 8×3	2×8		8×3	8 8 X X	82 6 2	9	2×10 2×10	992 22	2.46
ĸ	Upper frame Lower frame	8x18 2x6	2×10	2×10	ex6	2x6	2, 9 2, 20 2, 20 2	2×10	2×10	2 ×8	2×6	8×12 8×6 8×6	-	P I V	9	2×6	la	01X2	2×10	1	2
	Struts Diagonal	2×8	2×8	2×8 2×8 2×8	2×8	2×B	2×8	2×8	2×10	8 8 X X N N	2×8	2×8	2×8	82 N	2×10	2×10	8%3	8X	2×8 2×10 2×10 2×10	exto a	x10
# The	The above sizes are	for	un l far	ra lo	ads,	but also apply to concentrated loads	ddo os	ly to	CONC	mtra	ted to	rds				1					

TABLE XXI. Panel werker selection table for 25,000 (b, net load.#

MIL-C-104C

I I.	
- 78	
Ž	
. net load.≖	
ž	
_	
م	
anel member selection table for 30,000 lb.	
2	
ŏ	
°	
ē	
L.	i
ౖౖౖ	ļ
	ļ
ୁନ	ļ
- ¥	
c	
Panel member selection	
- +	
<u> </u>	
- ¥	
_ ₽	
ž	
E	
2	
ð	
litter (
-	
-	
- 2	
TABLE XXII	
بعا	
ᇳ	
. ≤	
~	

2x4 's.	
. ?	
blank	
VI	
NOTE	

1 1		4 fmt		1	1.	444											ſ					
Mether: 4 Funder: 7 6 9 10 12 4 Funder: 7 10 12 4 Funder: 7 10 12 4 Funder: 7 10 10 12 4 Funder: 10 </th <th></th> <th></th> <th></th> <th>2</th> <th>. </th> <th></th> <th>Ę</th> <th></th> <th></th> <th></th> <th></th> <th>€</th> <th></th>				2	.											Ę					€	
Thread 1 1 4 1 1 4 6 9 10 12 4 6 9 10 12 4 6 9 10 12 4 6 9 10 12 4 6 9 10 12 4 6 9 10 12 4 6 9 10 12 4 6 9 10 12 4 6 9 10 12 4 6 9 10 12 4 6 9 10 12 4 6 9 10 12 4 6 9 10 12 4 6 9 10 12 4 6 9 10 12	Lenot		•	P Ł	، مد	÷			E E	ht (f	t.)			Ē	* #	 	Ī		Ē		1 4	
246 246 <th></th> <th></th> <th>1</th> <th>•</th> <th>╸</th> <th>=</th> <th>2</th> <th>-</th> <th>_ ا د</th> <th>8</th> <th>9</th> <th>12</th> <th>-</th> <th>9</th> <th>8</th> <th>10</th> <th>12</th> <th>4</th> <th>•</th> <th></th> <th>0</th> <th>12</th>			1	•	╸	=	2	-	_ ا د	8	9	12	-	9	8	10	12	4	•		0	12
2-46 2-46 <th< th=""><th>Q</th><th>Upper frame Lower frame</th><th></th><th>2×6</th><th></th><th></th><th></th><th>2×6</th><th></th><th>8×9</th><th></th><th></th><th>2×6</th><th>2×66</th><th>2×6</th><th></th><th></th><th>۶ ۵</th><th>8</th><th>SX6</th><th></th><th></th></th<>	Q	Upper frame Lower frame		2×6				2×6		8×9			2×6	2×66	2×6			۶ ۵	8	SX6		
Zwid Zwid <thzwid< th=""> Zwid Zwid <thz< th=""><th></th><th>struts</th><td></td><td></td><td></td><td>8×3</td><td>2×8</td><td></td><td></td><td></td><td></td><td>2×8</td><td>2×8</td><td>2×8</td><td>2</td><td></td><td>2</td><td>820</td><td>2</td><td></td><td></td><td>076</td></thz<></thzwid<>		struts				8×3	2×8					2×8	2×8	2×8	2		2	820	2			076
2x6 2x6 <th></th> <th>Blagonal</th> <th>- 1</th> <th>1</th> <th>- 1</th> <th>8 X</th> <th>2×8</th> <th></th> <th></th> <th></th> <th></th> <th>2×8</th> <th>8×2</th> <th>8</th> <th>8X</th> <th></th> <th>200</th> <th>8</th> <th>ន៍ស</th> <th></th> <th></th> <th>2×10</th>		Blagonal	- 1	1	- 1	8 X	2×8					2×8	8×2	8	8X		200	8	ន៍ស			2×10
240 2410	α	Upper frame			2x6	I		2×6		2×6			2×6	8×6	2×6			8	20	× Å		
240 2410 246 <th>•</th> <th>Struts</th> <th></th> <th>2×3</th> <th>2×10</th> <th>876</th> <th>870</th> <th></th> <th>000</th> <th></th> <th></th> <th>020</th> <th>0.00</th> <th>ç</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>,</th>	•	Struts		2×3	2×10	876	870		000			020	0.00	ç								,
246 246 <th></th> <th>Diagonal</th> <th></th> <th>2×10</th> <th>SX10</th> <th>2.00 2.00 2.00</th> <th>2×10</th> <th></th> <th>33</th> <th></th> <th></th> <th>2×10</th> <th>9 8 X Q X V</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>8×8</th>		Diagonal		2×10	SX10	2.00 2.00 2.00	2×10		33			2×10	9 8 X Q X V									8×8
2x6 2x10 2x6	•			Sx6	8×6			1	20				2X6	98	X			3			1	
2x4 2x10 2x4	2																					
CM CM <thcm< th=""> CM CM CM<!--</th--><th></th><th></th><td></td><td></td><td></td><td>80 C</td><td>80 G</td><td></td><td></td><td></td><td></td><td>8×8</td><td>•</td><td>820</td><td>exto</td><td>exa</td><td>820</td><td></td><td>8X2</td><td>0 ixa</td><td></td><td>2×8</td></thcm<>						80 C	80 G					8×8	•	820	exto	exa	820		8X2	0 ixa		2×8
2x6 2x6 <th></th> <th>1 Buombin</th> <th></th> <th>- 1</th> <th></th> <th>R</th> <th>BX2</th> <th></th> <th>- 1</th> <th></th> <th></th> <th>2×8</th> <th>2×8</th> <th>8X 5X 9</th> <th>2×10</th> <th>8×3</th> <th>8 X</th> <th>8 N</th> <th>8 X</th> <th>2</th> <th></th> <th>exe X</th>		1 Buombin		- 1		R	BX2		- 1			2×8	2×8	8X 5X 9	2×10	8×3	8 X	8 N	8 X	2		exe X
2x40	12	Upper Frane			ŠX V		-			2×6		 	2×6	2×6	9×2			2×6	å	20	1	
Zx6 Z							0.0									1						
Zx6 Z		Blagonal					2x10					D I X	9~8					9	8 8	8 2 2	8 8 8 8 8	8
2x4 2x10 2x8		lever frees	Ł	1	1			E	Ł	ł				- 1				ß	B			A 1XJ
2x6 Zx10	16						e X					9×0	8×2		2×6	8×6	%	2X8	9×2	9 4		2×6
2x6 2	1		2×10		2×10		2×8	2×10				876	0170		0170	0.4		00				
2x6 2x6 2x6 2x6 2x6 2x10		Diagonal			SX10		8×8						N BX	2×8		P×10						9 1 X 2 0
2x0 2x10 2x0 2x0 2x0 2x0 2x0 2x0 2x10 2x		Upper frame	2×10	1	2×6	1	2×6		Ł			246	2410					2 		st.		
2x6 2x10 2x8 2x8 2x8 2x10 2x10 <td< th=""><th>50</th><th>Lower Frane</th><th>_</th><th></th><th></th><th></th><th>2</th><th></th><th></th><th></th><th></th><th>2</th><th>N N N</th><th></th><th></th><th></th><th></th><th>282</th><th></th><th>000</th><th>ę</th><th>ŝ</th></td<>	50	Lower Frane	_				2					2	N N N					282		000	ę	ŝ
2x4 2x10 2x4 2x10 <	_	struts					8×8					2×8			2x6		SX10	}		Park	2×10	2×10
2x10 2x10 2x10 2x10 2x10 2x10 2x10 2x10		Dieponal	Bx2	BX N		- 1	2×8		0120			2×10	2×8		ext o		S	800	2×10	P×10	ex10	2×10
2x4 2x10	10		SX10	NX10			2×6		20			2x6						2×10	91 X		8×3	X
Zxi0		Struts		5	870	82	- 010			0.0			2×10		X	8 8 8	9 2 2		8 2			
2 ×10 2×10 2×10 2×10 2×10 2×10 2×10 2×10		Diagonal			22		2×10		38	SX10		2×10	2×8				2110	RyC RyC				
2x8 2x10 2x10<	80	Upper Frane	2×18	2×10	2×10	BX	2x6			2×10		2×6	2×12		2×10	8×8	8	2×12	S IR			BX3
2x4 2x4 <th>) </th> <th></th> <th></th> <th></th> <th>070</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>,</th> <th>2X8</th> <th></th> <th></th> <th>4</th> <th></th> <th>Š</th> <th>B X</th> <th></th> <th></th> <th></th>) 				070							,	2X8			4		Š	B X			
2 ZM12 ZM10 ZM10 ZM6 ZM12 ZM12 ZM10 ZM10 ZM10 ZM12 ZM12 ZM12 ZM12 ZM12 ZM12 ZM12 ZM12		Diagonal		X	2	2×10		2×8		S×10	ŝ	2×10	248				200	9	S.	8	929 629	8×9
2x8 2x8 <th></th> <th>Upper Frame</th> <th>2×12</th> <th>2×12</th> <th>S.</th> <th>8×2</th> <th>2×6</th> <th></th> <th>212</th> <th>01×2</th> <th>8×8</th> <th>2×8</th> <th>2×12</th> <th></th> <th></th> <th></th> <th></th> <th>212</th> <th></th> <th></th> <th></th> <th></th>		Upper Frame	2×12	2×12	S.	8×2	2×6		212	01×2	8×8	2×8	2×12					212				
ZXU ZXU ZX6 ZX6 ZX6 ZX8 ZX6	N	Lover frame	2×6	ex X	8 2 2				8,49	8×8			8×8				}	1 9 1 3		2		
Initians inde but the same and the same the same the same the same same same same same same same sam		Diaconal	2×8	2×10		8×19 8×19	2x6 2x10		0170	820	920 200	2×6	0.0	9×0	200	92 2	8			8	8×6	92 20
	The second	above sizes and																ŝ				

MIL-C-104C

MIL-C-104C

.

rammana i i n n 1 . v i ngan 14 . v

•

مع معمومة معموم

-

TABLE XXIIILag bolts required to assemble sides to base of bolted crates
using lag bolt reinforcing strap (skids to be Group II. III.
or IV woods).*

Weight of crate	Size of	lag bolt	
	3/8 x 3-inch (3x3)		5/8 x 4-inch
	or 3x4 inch skids)	(4 x 4 inch skids)	(4 x 6 inch skids
2,000	6	6	6
3,000	10	6	6
4,000	14	8	6
6,000	20	12	8
8,000		16	10
10,000 j		16 1	12
12,000		22	14
14,000		26	16
16,000		30	18
18,000		32	22
20,000		36	24
24,000			28
28,000	1		32
32,000	1		36
36,000	1		42
40,000	· · /	1	46

* Use one-half the number on each side:

.

Maximum spacing - $3/8 \times 3$ - 16 inches on center 1/2 x 4 - 20 inches on center 5/8 x 4 - 20 inches on center Minimum number - 3 per side, 2 per end

Panel member selection table for 2,000 lb, net losd.m	
Ē	
٩	
8	
2	
b	
•	
Panel member selection table for 2,000 lb, no	
8	
Ē	
ž	
Ē	
à	
Ē	
5	
Per	
ABLE XXIV.	
ĥ	1
TABL	re luk'
-	ł


NOTE: All blank spaces are 1x4's

		4 Foot	oot width		Ŷ	foot width	ŧ			8 foot width	- Idth			10 foot		e i dth	
Length (Ft.)) Neriber	2 Height 2 Gh	bht (ft.) 6 8 10	12	به ال ب	He 1014 (F1	(ft.) 10	12	N	Height (#1.)	(+ · ·)	12	•	14	1	^	2
ę	Upper frame Lover frame Struts Diegonal				2x4 2x4 2x4	2x4 2x4 2x4	2×4	+	N.	4 2×4 2	Sx1		14	2×1 2×1	4 2×4	XXX	
œ	Upper frame Lover frame Struts Diagonal				2x4 2x4 2x4	2×4 2×4 2×4	2x4		5×1 2×	2x4 2x4 2x4 2x4	X		24 2	2 ×4 2×4	4 2x4 1x6	X X X X	***
10	Upper frane Lover frane Struts Diagonal				2x4 2x4 2x4	2x4 2x4 2x4	2×4		2x4 2x4 2x4		2x4	222	2×1 2	2x4 2x4 2x4	4 2×4	***	XXXX
12	Upper frame Loter frame Struts Diagonal				2x4 2x4 2x4	2x4 2x4 2x4	2×4		Ex4 2x4 2x4	1	2×4	1 1 1 0 0 0	2X4 2	2x1 2x1	1		222
16	Upper frame Lover frame Strubs Diagonal				2x4 2x4 2x4	2×4	2×4		2x4 2x4 2x4		TX ST		2x4 2	Ext 2x1	-	8×4 8×4 8×4	222
20	Upper frame Loter frame Struts Dlagonal				ZX4 2X4 2X4 2x4 2x4	X4 2x4	2×4		2x4 2x4 2x4		2×4		2x4 2x4 1x6	Ext Ext		žžž	1222
54	Upper frane Lover frane Struts Diagonal	1 x6 1 x6 1 x6			1x6 2x4 2x4 1x6 1x6	2#4 1#6	2x4		1x6 2x4 1x6 1x6	4X X	N X X X	222	8 - 9 Y	2x4 2x4 1x6	1	***	
82	Upper frame Lover frame Struts Diagonal	1 X6 1 X6 1 X6			2×4	1	2×4		1 x6 2 x4	NX NX	****	2222		Ex4 2x4 1x6	1		Ň Ň Ň Ň
R	Upper frame Lover frame Struts Diagonal	1x6 1x6 1x6 1x6	****		2×4	2×4 2×4 2×5 2×4 2×5 2×4 2×5 2×4 2×5 2×4 2×5 2×4 2×5 2×5 2×5 2×5 2×5 2×5 2×5 2×5 2×5 2×5	2×4	 	1x6 2x4 1x6 1x6 1x6 1x6	TX2	2X4			2x4 2x4 1x6 1x6	1	2222	5 5 5 5 5

TABLE XXV <u>Number of nails per each 1.000 pound gross load (nailing sheathing to base around perimeter of nailed crate).</u>*

Туре	Size	Woo	od group of skie	1
of nail	of nail	11		IV
Sinker or cooler	7d	23	26	19
	8d or 9d	19	21	16
	10d	18	19	14
	12d	15	16	12
Corker	7d	24	2 6	19
	8d or 9d	17	19	14
	10d 12d	15 15	16 16	14 12 12

* Nails shall not be less than 2 per board (lumber sheathing) and shall neither be more than 3 inches apart nor less than 1-1/2 inches apart.







FIGURE 2. Splicing of members.










STAGGERING JOINTS TOP VIEW

LAMINATION OF SKID OR SILL MEMBERS (2 INCH THICK MATERIAL)









LUMBER FLOORING


PLYWOOD FLOORING




SILL BASE WITH DOUBLED SILLS











INSIDE VIEW


END






INSIDE VIEW

END








CROSS SECTION

WIDTH - OVER 60 INCHES THROUGH 120 INCHES JOISTS (SPACE 24 INCHES 0. C.)


SPAN	SIZE
OVER 60 INCHES THRU 66 INCHES OVER 66 INCHES THRU 78 INCHES OVER 78 INCHES THRU 90 INCHES OVER 90 INCHES THRU 102 INCHES OVER 102 INCHES THRU 120 INCHES	$ \begin{array}{c} 2 \times 4 \\ 2 \times 4 \\ 2 - 2 \times 4 \\ 2 - 2 \times 4 \\ 2 \times 6 $










-COMBINED THICKNESS OF: PLYNOOD PLUS (A) JOIST DEPTH, OR (B) FRAME MEMBER THICKNESS OF TOP T UPPER FRAME MEMBER (ALSO SERVES AS JOIST SUPPORT) USE 2 INCH MEMBER EXCEPT FOR CRATES! LESS THAN 54 INCHES IN WIDTH. WHEN VERTICAL JOIST SUPPORTS ARE REQUIRED. 1. 2. END STRUT NAILED - 2 INCH THICK AND SAME VIDTH AS REGULAR STRUT BOLTED - 2 X 4 TO 1,000 LB NET LOAD, 3 X 3 FOR 1,000 TO 5,000 LB AND 4 X 4 OVER 5,000 LB. LOVER FRAME MEMBER - SKID BASE SILL BASE FLOOR THICKNESS PLUS DEPTH OF SIDE SILL AND FLOORING LESS 1/8 INCH DEPTH OF SKID -LAG BOLT REINFORCING STRAP (BOLTED CRATES)











PLYWOOD GUSSET

- 1 USE 1/4 INCH PLYWOOD SHORTEST DIMENSION 12 INCHES MINIMUM.
- 2. USE 3 NAILS (MIN.) PER MEMBER INTERSECTION -CLINCH ON SHEATHING SIDE.
- 3 CENTER CORNERS ON CENTERLINE OF DIAGONALS.
- 4. FOR CRATES WITH 1 INCH MEMBERS AND HEIGHTS OVER 36 INCHES.



1


USE FOR 12 FOOT CRATE HEIGHT IN 6 FOOT VIDTH AND FOR 10 FOOT HEIGHT IN 8 FOOT VIDTH WHEN STRUTS ARE SHOWN AS 1 INCH THICK IN MEMBER SELECTION TABLES IV TO IX




FRAME MEMBER WIDTH

4 INCH AND 6 INCH WIDTHS

8 INCH AND WIDER





BUTT JOINTS OF SHEATHING


AT DIAGONAL


3 NAILS - 1 X 4 - 1 X 6 4 NAILS - 1 X 8 AND WIDER


AT HORIZONTAL MEMBER


- 3 NAILS 1 X 4 1 X 6 4 NAILS 1 X 8 AND WIDER


MIL-C-104C
















LUMBER SHEATHED CRATE

















END TO TOP


SIDE TO TOP





























1. All dimensions are in inches





MIL-C-104C

BRACKET BOLTED TO STUD BOLTS ON BRAKE DRUM AND BLOCK











MIL-C-104C

FIGURE 36. Hold-downs and tie-downs for sill bases.



,







FIGURE 39. International loading gauge.

2. Figures in parentheses indicate dimensions in millimeters.

1. Height of magon floor used to be deducted from heights shown on this drawing.



KIL-C-104C

APPENDIX

DISASSEMBLY OF ITEM, ANCHORING, BLOCKING, AND LIFTING ATTACHMENTS

10. SCOPE. This appendix covers disassembly of items, anchoring and blocking, and lifting attachments.

20. APPLICABLE DOCUMENTS None.

30 REQUIREMENTS.

30.1 <u>Item disassembly</u> Design of the crate should be based on a careful study of the item(s) to be packed Such a study should consider the shape, size, weight, strength and degree of fragility of the item(s), the availability of the mounting provisions and the disassembly permissible for shipment. All reasonable disassembly should be performed to effect a saving in crate volume. Unless otherwise specified by the procuring agency, the disassembly shall not be of such extent as to require special personnel or equipment or an unjustifiable amount of time for reassembling.

30.2 Anchoring and blocking.

30.2.1 General Attention shall be given to anchoring of the contents within the crate in order that proper design and construction of the container will not be nullified during shipment and rough handling. Care shall be taken, by padding and cushioning where necessary, to prevent damage to the contents of the crate at points where blocks, braces, or straps come in contact with a part of the crated item

30.2.2 Bolting down When there are holes in the item being crated which can be utilized for anchoring it to the crate base, the item shall be bolted through the skids or chamfered longitudinal sleepers, minimum size 2 inches by 4 inches by not less than 3 feet long, shall be added underneath the floor of the skid-type bases so that the tie-down stress will be distributed. When bolting to sill bases, bolts shall not pass through the depth of the sill but through blocks which shall be securely nailed or bolted to the sill (see figure 34)

30 2 3 <u>Hold-downs and tie-downs</u>. When bolt holes in the item being crated are not available, the item shall be anchored to the base by means of either lumber hold-downs, tie-down rods used in combination with hold-downs timbers, or tensioned metal strapping or soft iron straps securely attached to the skids, sills or other frame members (see figures 35 and 36). Consideration shall also be given to strapping parts of the item being crated to itself.

30.2.4 Blocking and bracing. In conjunction with, or in lieu of metal strapping, wood blocks and braces shall be used to prevent movement of load within the crate Sideways movement of top-heavy items shall be prevented either by strapping, blocking, or bracing (see figure 37). Wood blocks and braces shall be securely nailed to floorboards, sills, headers, or other frame members and not directly to sheathing. End grain nailing shall not be used to hold blocks in place.

30.3 Lifting attachments. Large, heavy crates are often severely damaged by ordinary handling with slings or grabhooks Much of the damage can be eliminated by providing special handling attachments on crates. Suggested

details of such crates are shown in figure 38. Such attachments are capable of carrying 12,000 lb each with a factor of safety of about four. Smaller bars Bay be used for lighter crates but the safety factor of four should be maintained.

30 U Center of balance. After crates are assembled and loaded, those over 10 feet long shall be marked to indicate the center or balance. Harking shall consist of a 1-inch wide vertical stripe on each side extending from the lower edge of the panel upwards about 12 inches. The stripes may be either red or black and shall have "CENTER OF BALANCE" stenciled or printed in 1-inch high letters adjacent to or above them The markings should be of water-proof materials and shall be applied to assure easy legibility.

30.5 <u>Service paits</u> The preservative application criteria and applicable methods of preservation of MIL-F-116 shall be used to preserve service parts. When specified (see 6.2), the service parts shall be preserved in accordance with level A requirements of MIL-S-196, or when parts are not specifically covered in MIL-R-196, requirements in MIL-STD-2073 shall be used

STANDARDIZATION D		MENT PROPOSAL	
	INSTRUCTIONS		
 The preparing activity must complete blocks letter should be given. 		oth the document number an	d revision
2. The submitter of this form must complete bl	ocks 4, 5, 6, and 7.	•	}
3. The preparing activity must provide a reply v	within 30 days from receipt of	the form.	
NOTE: This form may not be used to request requirements on current contracts. Comments warve any portion of the referenced document(submitted on this form do n	ot constitute or imply author	
IRECOMMEND A CHANGE MIL-C-1	IT NUMBER 04C	2. DOCUMENT DATE (YYMMDD) 920330 •	
3. DOCUMENT TITLE CRATES. WOOD: LUMBER AND PLYWOOD SHE	ATHED, NAILED, AND BO	LTED •	
CRATES, WOOD: LUMBER AND PLYWOOD SHE 4. NATURE OF CHANGE (Identify paragraph number and in			
S. REASON FOR RECOMMENDATION			
		and and a sub-	
L SUBMITTER		والبالية المتحدين والمتحدين والمحدين والمحدين والمحدين والمحديد والمحديد والمحدي	22 Jacob State of Sand Party
C. ADORESS (Include Zig(Code))			
8. PREPARING ACTIVITY			
JOMMANDING OFFICER	b TELEPHONE (Inclu (1) Commercial (805) 982-55	(Z) AUTOVO	N 93
- ADDRESS (Include Zip Code) NCBC CESO (CODE 1564B) PORT HUENEME, CA 93043-5000	Oefense Quality a S203 Leesburg Pik	EIVE A REPLY WITHIN 45 DAYS, CO and Standardization Office e, Suite 1403, Falls Church, VA 220 (56-2340 AUTOVON 289-2340	041-3466
00 Form 1426, OCT 89	revious editions are obsolete.	•	198/210

4